

Deputy Director,
Ministry of Environment, Forest & Climate Change
Northern Regional Office
Bays No. 24-25, Sector 31-A
Dakshin Marg, Chandigarh-160030

Sub: Submission of Six-monthly compliance report for the period of April -2022 to September-2022 submission due in December-2022 of the Environmental/Safeguards Conditions stipulated in Environmental Clearance letter for "Artemis Hospital " at Sector-51, Gurgaon, Haryana by M/s Artemis Medicare Services Ltd

Reference: Environmental Clearance vide Letter No 23-279/2018-IA.III(V)
Dated 27/09/2019.

Dear Sir,

This is in reference to the submission of six-monthly compliance report for the period April-2022 to September-2022 submission due in December-2022 Environmental Clearance's conditions obtained vide F.No 23-279/2018-IA.III(V) Dated 27/09/2019 on plot area 33,588.908 sqm and built-up area 67,444.652 sqm.

In this regard, as per the conditions laid down in the Environmental Clearance Letter, we are hereby submitting a six-monthly Compliance Report along with all the requisite annexures and soft copy (CD) as per the guidelines of the Ministry of Environment, Forest & Climate Change.

Thanking You,
Joginder Pal
Yours Faithfully,



For, M/s Artemis Medicare Services Ltd

Copy To:

1. Chairman, Haryana State Pollution Control Board, C-11, Sec-6, Panchkula, Haryana - 134109.
2. Member Secretary, State Environment Impact Assessment Authority, Bays No.55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana- 134109.



NABH & JCI Accredited

Artemis Hospital (A unit of Artemis Medicare Services Ltd.)

Sector 51, Gurugram - 122001, Haryana, India. Ph.: +91-124-4511 111 | Fax: +91-124-4588 899

Emergency & Trauma: +91-124-4588 888

Registered Office: Plot No. 14, Sector 20, Dwarka, New Delhi - 110075 | Corporate Office: Artemis Hospital, Sector 51, Gurugram - 122001, Haryana, India
CIN: L85110DL2004PLC126414 | GST: 06AAAFCA0130M1Z1(HR), 07AAAFCA0130M1ZZ(DEL) | TAN: DELA16048E | PAN: AAFA0130M | Email: info@artemishospitals.com



**SIX-MONTHLY COMPLIANCE REPORT OF STIPULATED
ENVIRONMENTAL CLEARANCE CONDITIONS**

"Artemis Hospital "

(Environmental Clearance Letter No.

23-279/2018-IA.III(V) Dated 27/09/2019

At

Sector-51, Gurgaon, Haryana

By

M/s Artemis Medicare Services Ltd

Plot No. 14, Sector-20, Dwarka, New Delhi -110075

Submitted by:

M/s Perfact Solutions

(Environment Consultant)

(ISO 9001:2015& ISO 14001:2015 Certified)

5th Floor, NN Mall, Mangalam Palace, Sector-3, Rohini,

New Delhi

Ph No. 011- 49281360

December-2022

Contents

CHAPTER-I: PURPOSE OF THE REPORT	4
CHAPTER II: INTRODUCTION	5
PROJECT DESCRIPTION	6
CHAPTER III: CONSTRUCTION STATUS:	7
SITE PHOTOGRAPHS:	8
CHAPTER IV: POINT WISE COMPLIANCE REPORT AS PER EC CONDITIONS	13
ANNEXURE – I	31
COPY OF ENVIRONMENTAL CLEARANCE	32
ANNEXURE – II	60
COPY OF CONSENT TO ESTABLISH	61
ANNEXURE – III	65
COPY OF CONSENT TO OPERATE	66
ANNEXURE – IV	70
COPY OF BOREWELL PERMISSION	71
ANNEXURE – V	73
COPY OF ELECTRICITY BILL	74
ANNEXURE – VI	82
COPY OF AGREEMENT FOR DISPOSAL OF SOLID WASTE	83
ANNEXURE –VII	89
COPY OF AGREEMENT FOR DISPOSAL OF E-WASTE	90
ANNEXURE –VIII	96
COPY OF AGREEMENT FOR DISPOSAL OF USED OIL	97
ANNEXURE –IX	104
COPY OF AGREEMENT FOR DISPOSAL OF BIO-MEDICAL WASTE	105
ANNEXURE –X	115
COPY OF HEALTH CERTIFICATE OF WORKERS	117
ANNEXURE –XI	120
COPY OF PUC CERTIFICATE	121
ANNEXURE –XII	124
COPY OF LISENSE FROM PESO FOR HSD STORAGE	127
ANNEXURE –XIII	128
COPY OF FIRE NOC	129
ANNEXURE –XIV	130
COPY OF CLINICAL ESTABLISHMENT CERTIFICATE	131

CHAPTER-I: PURPOSE OF THE REPORT

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance conditions/safeguards in hard and soft copies to the regulatory authority concerned, by June and December of each calendar year” and as per compliance of condition mentioned in Environment Clearance Letter (i.e. Part B General Condition, point number II), Six monthly compliance reports should be submitted to the Haryana State Pollution Control Board and Regional Office, MOEF, GOI, Northern Region, Chandigarh and a copy to the Regulatory Authority of Haryana.

It is mandatory to submit a six-monthly compliance report to show the status & compliance of all the Conditions mentioned in Environment Clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are Haryana State Pollution Control Board, Regional Office-MoEF (Chandigarh) and SEIAA, Haryana.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report is prepared by the Perfact Group on behalf of Project Proponent; details of which are present in Chapter – “Compliance Report”

Methodology for Preparation of Report is as follows:

1. Study of EC Letter & Related Documents,
2. Site Visits by a representative/team of Environment Consultant,,
3. Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Soil & DG Sets,
4. Analysis of Samples collected during Monitoring,
5. Interpretation of Monitoring Results,
6. Compliance Report, explaining the entire Environmental Clearance conditions in the EC Letter and providing details w.r.t. each condition/ guideline.

CHAPTER II: INTRODUCTION

The proposed "Artemis Hospital " at Sector-51, Gurgaon, Haryana being developed by M/s Mis Artemis Medicare Services ltd

Particulars	Details of project
Name of the project	"Artemis Hospital "
Site address	Sector-51, Gurgaon, Haryana
Environment Clearance Letter No	F.No. 23-279/2018-IA.III(V) Dated 2709/2019
Project Description	Project involves 394 Bedded hospital on a total plot area of 33,588.908 sqm and built up area of the project is 67,444.652 m ² .
Year of Construction Start	September 2019

PROJECT DESCRIPTION

The proposed "Artemis Hospital" at Sector-51, Gurgaon, Haryana being developed by M/s Artemis Medicare Services Ltd will have the following salient features: -

Particulars	Details as per Environmental Clearance dated 27.09.2019
Plot Area	33,588.908 sqm.
FAR	49,913.526 s sqm
Total Built up Area	67,444.652 sqm.
No. of Towers	5
Building Height	27.5
Power Requirement	4500 KW (existing: 3100 KW & Proposed: 1400 kW)
D.G set	2x 125 ,1x 62.5 KVA and 1x40 KVA(Required during Construction Phase)
Total Water Requirement	1104 KLD
Wastewater generated	637 KLD
STP and ETP Capacity	325 & 400 KLD and ETP of 25 KLD and 45 KLD
Treated Water	514 KLD
Solid waste generation	1930 Kg/day
Biodegradable Waste	1351 Kg/day
Non Biodegradable Waste	483 Kg/day
Biomedical waste	298 Kg/day
E waste	1-2 Kg/month w
Plastic Waste	96 Kg/day
Rain water harvesting pit	6 No. (5 installed)
Parking Provision	668 ECS (Existing - 236 ECS and Proposed - 432 ECS) (four wheelers) is proposed to be provided against the requirement of 666 ECS.
Total Cost of Project	Rs. 399 Crore.

CHAPTER III: CONSTRUCTION STATUS:

S. No.	Component	Construction Status as on December -2022	
		Tower-II	Tower-III
1.	Civil Construction: No. of Towers Completed- Structural Work- Brick Work- Plaster Work- No. of Towers Under Construction- Structural Work- Brick Work- Plaster Work-	Completed Completed Completed Nil Completed Completed Completed	 Nil 01
2.	Plumbing Work	Completed	Completed
3.	Electricity work	Completed	-
4.	Fire Fighting Work	Completed	-
5.	Sewage Treatment Plant Work	Completed	-
6.	Total No. of Rain Water Harvesting Pits: No. of pits completed- No. of Pits under Construction- No. of Pits balanced-	01 Nil 01 01	-
7.	Sewerage, Drainage etc. Work: Civil Work- Mechanical Work- Electrical-	Completed	-
8.	D.G. room, AC Plant Room Work	Completed	-
9.	Landscape Work Total No. of Plants- No. of Plants Planted in the project rea- Size of Greenbelt along periphery -	95%	-
10.	Finishing Work	92%	-

SITE PHOTOGRAPHS:



Photograph :- Operational Building



Photograph :- Under-Construction Building



Photograph:- Anti-Smog Gun Installed at the Construction Site



Photograph:- D.G Set with Acoustic enclosure and Adequate Stack Height




Photograph :- Green Area Development



Photograph :- Green Area Development



Photograph :- 350 KLD STP & 25 KLD ETP Area



Photograph :- 400 KLD STP & 20 KLD ETP Area



Photograph :- Bio-Medical Waste Storage Area



Photograph :- Municipal Solid-Waste Storage Area

CHAPTER IV: POINT WISE COMPLIANCE REPORT AS PER EC CONDITIONS

Current Status of Point – wise compliance of the stipulated environmental conditions/ safeguards.

A. Standard Conditions:		
S.No	Environmental Conditions/Safeguards	Compliances
I. Statutory Compliance		
1.	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building by-laws.	<p>-We have obtained Water Assurance from HUDA.</p> <p>-Approved Building plan has been obtained.</p> <p>-We have obtained Consent To Establish from HSPCB vide Consent No 313099719GUNOCTE6992359 dated 5/12/2019 Valid till 26/09/2026 Copy of the same is enclosed as Annexure- II</p> <p>-Renewal of Consent to Operate granted vide consent order no. HSPCB/Consent/: 313099722GUNOCTO22918438 dated 19.08.2022 valid upto 30.09.2027. Copy of Renewal of CTO granted is enclosed as Annexure-III.</p> <p>-We have obtained Aravali NOC.</p>
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.	Noted and same has been obtained.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.	Forest NOC has been obtained from the Office of Nuh-Tehsildar dated 17.05.2017 regarding non-forest land. No diversion of forest land involved in this project.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	NBWL clearance is not applicable for this project.

5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	- We have obtained Consent To Establish from HSPCB vide Consent No 313099719GUNOCTE6992359 dated 5/12/2019 Valid till 26/09/2026 Copy of the same is enclosed as Annexure- II - Renewal of Consent to Operate granted vide consent order no. HSPCB/Consent/: 313099722GUNOCTO22918438 dated 19.08.2022 valid upto 30.09.2027. Copy of Renewal of CTO granted is enclosed as Annexure-III.
6.	The project proponent shall obtain the necessary permission for the drawl of groundwater/surface water required for the project from the competent authority.	2 Number borewell exists at the premises and permission for the same is already taken from the competent authority. Copy of Borewell permission is enclosed as Annexure-IV.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	We have obtained Power assurance from DHBVN. Copy of Electricity Bill is Enclosed as Annexure-V.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained. as applicable, by project proponents from the respective competent authorities.	<ul style="list-style-type: none"> - We have obtained Water Assurance from HUDA. - Approved Building plan has been obtained. - We have obtained Consent To Establish from HSPCB vide Consent No 313099719GUNOCTE6992359 dated 5/12/2019 Valid till 26/09/2026 Copy of the same is enclosed as Annexure- II - Renewal of Consent to Operate granted vide consent order no. HSPCB/Consent/: 313099722GUNOCTO22918438 dated 19.08.2022 valid upto 30.09.2027. Copy of Renewal of CTO granted is enclosed as Annexure-III. - Forest NOC has been obtained from Office of Neb-Tehsildar dated 17.05.2017 regarding non-forest land.
9.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	Noted. Copy of Agreement for Solid waste Management and E-Waste Management is Enclosed as Annexure-VI & Annexure-VII

10.	The project proponent shall strictly follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	We have complied with all ECBC norms and will use a non-conventional energy System.
II. Air quality monitoring and preservation		
1.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site	Management plan has been drawn to check current exceedance in ambient air quality at the site.
2.	The project proponent shall install a system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.	Ambient Air Quality monitoring is being monitored regularly during the construction period and a copy of the monitoring report is also sent to MOEF and other concerned departments. Copy of Monitoring report is enclosed as Annexure-IX
4.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided in consultation with State Pollution Control Board.	For Operational phase, 6 nos. of DG Sets i.e. 1x1500 KVA, 2x 1250 KVA, 2x750 KVA and 1x500 installed with acoustic enclosure adequate stack height. For Construction Phase, 2 D.G of Capacity i.e 1x250 & 1x250 KVA installed. Diesel of low Sulphur are utilised for operation of DG Set. Noted.
5.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution	Barricading of 10 m height is provided at the site to control the dust emission at the site. Loose construction material like sand, cement, murrum and C&D waste is covered with tarpaulin sheets and covered transportation of construction material is practised at site.

	at the site as well as taking out debris from the site.	
6.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	All loose soil or sand or Construction Demolition Waste or any other construction material that causes dust are kept under tarpaulin cover.
7.	Wet jet shall be provided for grinding and stone cutting.	During grinding and stone cutting wet jet will be provided.
8.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Water sprinkling and an anti smog gun is installed and practised at a regular interval of time for dust suppression.
9.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules, 2016.	Construction and Demolition waste is stored at earmarked locations on site and kept covered with tarpaulin sheets. All construction debris is disposed off as per the guidelines of the Construction and Demolition Waste Rules, 2016.
10.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to rules made under the Environment (Protection) Act, 1986.	Low Sulphur diesel type fuel will be used for operation of DG Set during the construction phase and operational phase which will conform to Environment (Protection) Act,1986.
11.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Adequate DG Set stack height has been provided to all 6 D.G sets installed for Operational Building and for Construction Phase 2 D.G Set installed at the premises as per CPCB standards, with an acoustic enclosure to mitigate the noise pollution. Low Sulphur diesel fuel is used for operation of DG Set which conform to CPCB norms. Noted.
12.	For indoor air quality the ventilation provisions as per National Building Code of India.	Provision of ventilation for indoor air quality is provided as per National Building Code of India.

III. Water quality monitoring and preservation

1.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	Natural drainage systems will be maintained to the extent possible. 6 Nos. Rainwater harvesting pits installed to recharge the rain water into the ground.
2.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted.
3	Total fresh water use shall not exceed the proposed requirement as provided in the project details.	Noted, Total freshwater use is not to exceed the proposed requirement in the project details.
4.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Quality of fresh water usage, recycling water and rainwater harvesting is regularly recorded and submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted, will complied
6.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening,	20% of open space will be provided and use of previous Glass Pavers, paver blocks with 50% opening and landscape would be previous.

	landscape etc. would be considered as previous surface.	
7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing,landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual plumbing for a separate supply of fresh as well as treated water is provided in the operational phase. The treated water is used for flushing, gardening, HVAC & DG cooling etc
8.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Water saving devices are provided in the Operational part.
9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Dual plumbing for a separate supply of fresh as well as treated water is provided in the operational phase. The treated water is used for flushing, gardening, HVAC & DG cooling etc
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	RMC and other curing agents are used to minimise the water demand for construction purposes.
11	The local bye-law provisions on rain water harvesting should be followed . If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms	6 Nos. Rainwater harvesting pits installed to recharge the rain water into the ground.
12.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water	6 Nos. Rainwater harvesting pits installed to recharge the rain water into the ground. No ground water is used during the construction phase of the project; only STP treated water is used for the construction purpose.

	should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	
13.	All recharge should be limited to shallow aquifer.	Noted.
14.	No ground water shall be used during the construction phase of the project.	2 Number of borewells that exist at the premises for ground water extraction has been proposed for construction as well as the operational phase of the project. For construction purposes STP treated water is used which are supplied by tankers.
15.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No dewatering has been proposed.
16.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Quantity of fresh water usage, recycling water and rainwater harvesting are recorded regularly and submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	STP of total Capacity 325 KLD has been installed to treat wastewater from the Hospital and ETP 25 KLD installed to treat Effluent from the lab for the existing building. Treated water is used in Gardening and Cleaning purposes and excess treated water is disposed out through the Sewer line. For the new building, STP of 400 KLD and ETP of Capacity 20 KLD is installed in Tower-II and as of now STP is operational with capacity of 135 KLD.

18.	No sewage or untreated effluent water would be discharged through storm water drains.	Noted and comply.
19.	<p>Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.</p>	<p>STP of total Capacity 325 KLD has been installed to treat wastewater from the Hospital and ETP 25 KLD installed to treat Effluent from the lab for the existing building. Treated water is used in Gardening and Cleaning purposes and excess treated water is disposed out through the Sewer line.</p> <p>For the new building, STP of 400 KLD and ETP of Capacity 20 KLD is installed in Tower-II and as of now STP is operational with capacity of 135 KLD</p> <p>Treated water is used in Gardening and Cleaning purposes and excess treated water is disposed out through the Sewer line. Permission for the same is obtained.</p> <p>Discharge standards are also maintained before the disposal into the sewer.</p> <p>Noted.</p> <p>The adequacy report of STP will be submitted after the STP will be fully operational.</p> <p>Discharge standards shall be maintained as per Norms.</p> <p>Noted.</p>
20.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	<p>Six Monthly monitoring of treated water has been conducted on a regular basis. Copy of the same is enclosed as Annexure-IX</p> <p>Necessary measures are also undertaken for odour problems from the STP.</p>
21.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development. Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	<p>Sludge from STP is used as manure in gardening.</p> <p>ETP sludge generated is being disposed off by giving through Authorised Vendor.</p>

IV. Noise monitoring and prevention

1.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase. so as to conform to the stipulated standards by CPCB / SPCB.	Ambient noise level is maintained during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution load is monitored closely during the construction phase and the operation phase of the project. Copy of Monitoring report is enclosed as Annexure-IX Necessary measures will be undertaken to control the air and noise emissions.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise level monitoring is carried out on a six-monthly basis and a report is submitted to the Regional Officer of the Ministry as a part of a six-monthly compliance report.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays. ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	D.G Sets with acoustic enclosure and adequate stack height are provided and proper safety equipment are also provided to the operating personnel as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures

1.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured_ Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	The project will comply with ECBC norms and will use a non conventional energy system.
2.	Outdoor and common area lighting shall, be LED.	LEDs are used in common areas and parking.
3.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be	Noted and will be compiled.

	incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	LED lights only for common areas like corridors, lift, and lobby are provided. Energy Efficient LEDs have been used. Used LED will be disposed off/sent for recycling as per the prevailing guidelines.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.	Solar and other renewable sources will be installed to meet at least 1% of the demand load.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Solar PV Generation will be provided to meet the part of the street lighting. External street lighting will be provided by a standalone solar panel. Solar Water Heater will be used to meet 20 % of the hot water requirements of the project. Separate electric metre will be installed for solar power. As of now Solar water heater has been provided in the premises of capacity 6 KLD for domestic uses.
VI. Waste Management		
1.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted.
2.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of	Construction and demolition waste generated from the site has been disposed of through an authorised C&D waste management site. Proper safety and health aspects of people will be considered during disposal of C&D waste.

	people. only in approved sites with the approval of competent authority.	
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Separate bins are provided at the premises for collection of wet and dry waste.
4.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	Noted and Organic waste converter will be installed once the project is in operational phase.
5.	All non-biodegradable waste shall be handed over to authorised recyclers for which a written tie up must be done with the authorized recyclers.	Non-biodegradable waste is collected, stored and disposed-off by giving it to the approved vendor. Copy of Agreement is enclosed as Annexure - VI
6.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Used oil generated from the DG sets are kept in leak proof containers and sent to the approved recycler. Copy of Agreement is enclosed as Annexure-VIII
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks. and other environment friendly materials.	Noted and environmentally friendly materials are used during construction.
8.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27.08.2003 and 25.01.2016. Ready mixed concrete must be used in building construction.	Fly ash materials are utilized for construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete materials are used.
9.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to	All construction debris will be disposed off by giving it to the approved site and during disposal of the same Construction and Demolition Waste Management Rules, 2016 will be followed.

	the Construction and Demolition Waste Management Rules, 2016.	
10.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of th-, regulatory authority to avoid mercury contamination.	Used LED lights are disposed off by giving it to the approved recycler as per the regulatory authority.
VII. Green Cover		
1.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).	Noted
2.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping	Noted
3.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Noted

	competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	
IX. Human health issues		
1.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Respiratory masks are provided to the workers involved in loading, unloading, carriage of construction material and construction debris.
2.	For indoor air quality the ventilation provisions as per National Building Code of India.	Provision of Ventilation is provided for betterment of indoor air quality.
3.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and will be compiled.
4.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Workers are not allowed to stay at the construction Site, for construction purposes all the workers hired were local so, no Shalters for labourers are provided at the site. However, Drinking water facilities, Sanitary facilities and mobile toilets are provided at the site.
5.	Occupational health surveillance of the workers will be done on a regular basis.	Health surveillance of the workers are carried out regularly. Copy of Health Certificate of workers is enclosed as Annexure-X
6.	A First Aid Room shall be provided in the project both during construction and operations of the project.	A First Aid Room is provided in the project during construction, which will continue in the operation phase.
X. Corporate Environment Responsibility		
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.iii dated 1st May 2018, as	Noted and Complied

	applicable regarding Corporate Environment Responsibility	
2.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Environmental Policy will be submitted in the later stage of the project. Board resolution submitted with the EC application in MoEF.
3.	A separate Environmental Cell both at the project and company headquarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	The Environmental Cell is developed with qualified personnel.
4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Action plan will be developed for implementation of EMP conditions along its responsibility matrix at site. Separate funds will be allocated for expenditure of environmental protection measures and reports will be submitted to the Ministry/ Regional Office.
XI. Miscellaneous		
1.	The project proponent shall prominently advertise it at least in two local	Newspaper advertisement has been done in two local newspapers.

	newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	
2.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Noted and Complied.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on a half-yearly basis.	Noted.
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	We are submitting six-monthly reports on the status of the compliance of the stipulated environmental conditions on regular basic.
5.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environmental statements for each financial year in Form-V are regularly submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
6.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land	Noted and the same will be complied.

	development work and start of production operation by the project.	
7.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted.
8	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted.
9	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	If any further expansion or modification is to be carried out at the site, a proper approval from the Ministry of Environment, Forest and Climate Change (MoEF&CC) will be taken.
10.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
11.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
12.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	noted.
13.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Full cooperation will be given to the officials from the regional office of MoEF&CC ,Chandigarh. Monitoring will be carried out regularly on a six-monthly basis.

14.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981. the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act. 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted.
15.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

ANNEXURE - I

COPY OF ENVIRONMENTAL CLEARANCE

F. No. 23-279/2018-IA.III(V)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, New Delhi - 3

September 27, 2019

To,

M/s Artemis Medicare Services Ltd
Plot No. 14, Sector-20, Dwarka, New Delhi -110075
E-Mail: joginder@artemishospitals.com

Subject: Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana by M/s Artemis Medicare Services Ltd - Environmental Clearance - regarding.

Sir,

This has reference to your proposal No. IA/HR/MIS/84185/2007 dated 01.11.2018 from M/s Artemis Medicare Services Ltd for Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana, along with the application in prescribed format (Form-I), for consideration under the provisions of S.O. 804 (E) dated 14th March, 2017.

2. The said Notification provides for appraisal of projects for grant of terms of reference/environmental clearance, which have started the work on site, expanded the production beyond the limit of environmental clearance, or changed the product mix without obtaining prior environmental clearance under the EIA Notification, 2006.

3. The proposal for environmental clearance was considered by the Expert Appraisal Committee (EAC) for projects relating to violation of the EIA Notification, 2006, in terms of the provisions of the Ministry's Notification dated 14th March, 2017, in its 15th meeting held during 27-29 November, 2018 and 22nd meeting held during 21-22 May, 2019 in the Ministry. The details of the project are as follows:

- (i) The proposed project is an "Expansion of Artemis Hospital" at Sector-51, Gurugram, Haryana which is being developed by M/s Artemis Medicare Services Limited. The total plot area of the project site is 33,588.908 sqm having Built-up area after expansion of 67,444.652 sqm. The land has been allotted by HUDA to M/s Artemis Medicare Services Pvt Ltd by Memo No.- 83, dated 15.02.2006.
- (ii) The Project had already been granted the Environmental Clearance vide letter no. 21-292/2007-IA.III dated 19.07.2007 for plot area 33,958.90 sqm and built-up area of 27,354.0 sqm for development of hospital. Now, the hospital is operational.
- (iii) As per new planning of expansion, total built-up area will be 67,444.652 sqm for which PP had earlier applied for Environment clearance for expansion of the project in SEIAA, Haryana on 05.04.2017. Meanwhile, the project proponent had already started construction before the grant of Environmental Clearance for expansion, hence violating EIA Notification 2006.
- (iv) As per notification no. S.O.804(E) dated 14.03.2017 & notification vide S.O. 1030(E) dated 14.03.2017 dated 8th March 2018, project proponent had applied for grant of Terms of Reference under violation cases & category 'B'. The Terms of Reference (ToR) was granted by SEIAA, Haryana vide letter no. SEIAA/HR/2018/829 on 26.07.2018.



(v) Since, the tenure of Haryana SEIAA/SEAC has completed, the PP has again submitted the EIA Report in MoEF&CC on 01.11.2018. The case was appraised in the 15th EAC meeting for the proposal involving violation of EIA Notification, 2006 on 29.11.2018. Few queries were raised, the reply of which was submitted to MoEF&CC on 15.04.2019. Now, the case was enlisted in the 22nd EAC Meeting for the violation of EIA Notification, 2006 held on 21.05.2019.

(vi) The construction status is given below: -

S. No.	DESCRIPTION	TOWER II	TOWER III
1.	Excavation work	Completed	Not yet done
2.	Foundation	Completed	Not yet done
3.	RCC work	Completed	Not yet done
4.	Masonry work	40%	Not yet done
5.	Roofs	95%	Not yet done
6.	Timber work (Door and windows)	Not yet done	Not yet done
7.	Piping of water & sewage	15%	Not yet done
8.	Drainage System	Not yet done	Not yet done
9.	Sewage Treatment Plant	Not yet done	Not yet done
10.	Rainwater Harvesting	Not yet done	Not yet done
11.	Plantation	Not yet done	Not yet done
12.	Roads	Not yet done	Not yet done
13.	Installation of Electrical & mechanical items & fire	Not yet done	Not yet done
14.	Plastering	25%	Not yet done
15.	Bathroom fitting & plumbing work	7%	Not yet done
16.	Flooring	Not yet done	Not yet done
17.	Painting and exteriors	Not yet done	Not yet done

(vii) The total plot area is 33,588.908 sqm, FAR area after expansion will be 49,913.526 sqm and total Built-up area of hospital after expansion will be 67,444.652 sqm. The project comprises of Five Towers. Maximum height of the building is 27.5 m.

(viii) During construction phase, total water requirement is expected to be 24 KLD which has been met by Tanker Supply. During the construction phase, temporary sanitary toilets have been provided during peak labor force. 10 KLD of waste water generated from the construction site will be disposed off to septic tanks.

(ix) Total water requirement of the existing operational part of the hospital is 483 KLD. Fresh water requirement is 333 KLD which is met by HUDA Supply/Borewell and same shall be followed for expansion part. Wastewater generation from the complex is 294 KLD which is being treated in STP & ETP of capacity 325 KLD and 25 KLD respectively. Total water requirement after expansion will be estimated to be 1104 KLD for the project & will be met by HUDA supply/Borewell and waste water generation will be 637 KLD generated from domestic use and Lab, which will be treated in STP of 325 & 400 KLD and ETP of 25 KLD and 45 KLD. Treated water of 514 KLD will be reused for flushing, gardening, DG Cooling & filter backwash. 38 KLD of treated water shall be discharged to sewer. 53 KLD of excess treated water from ETP shall be discharged to sewer line.

S. Bose

- (x) The Solid waste generation in the existing complex is 493 Kg/day. Biodegradable waste is sent to approved recycler who is responsible for final disposal. The Bio Medical waste being generated from the complex is given to approved recycler- M/s Vulcan Waste Management Pvt. Ltd and used oil of 27 lit/month being collected at isolated place and given to approved vendor of CPCB as per Hazardous & other Wastes (Management and Transboundary Movement) Rules, 2016.
- (xi) After operation of the complex the total solid waste generation after expansion will be approximately 1930 Kg/day Out of which approx. 1351 Kg/day of Bio-Degradable waste shall be treated in OWC and convert the waste into manure. The compost shall be used in green area within the project premises & unused manure will be given to nearby nursery. 483 Kg/day of recyclable Waste & 96 Kg/day of plastic waste will be given to Authorized Vendor as per Plastic Waste Management Rules, 2016.
- (xii) Biomedical waste generated from hospital will be 298 Kg/day which shall be handed over to authorized processor. Agreement with M/s Vulcan Waste Management Pvt. Ltd. has already been done for treatment and disposal of biomedical waste as per Biomedical Waste Management Rules, 2018 and used oil will be 77lit/month which shall be stored in leak proof drums and shall be given to approved recycler as per the Hazardous & other Wastes (Management and Transboundary Movement) Rules, 2016. E-waste generated from hospital will be 1-2 Kg/month which shall be handed over to approved recycler as per E-Waste Management Rules, 2016.
- (xiii) The total power requirement during construction phase is being met by 2 x 125 kVA, 1 x 62.5 kVA & 1 x 40 kVA and total power requirement during operation phase is 4500 KW (existing: 3100 KW & Proposed: 1400 kW) and will be met from Uttar Haryana Bijli Vitran Nigam.
- (xiv) Rooftop rainwater of buildings will be collected in 6 RWH pits (Existing- 5 no. and Proposed - 1 no.) for harvesting.
- (xv) Parking facility for 668 ECS (Existing - 236 ECS and Proposed - 432 ECS) (four wheelers) is proposed to be provided against the requirement of 666 ECS.
- (xvi) Proposed energy saving measures would save about 1% of power.
- (xvii) It is not located within 10 km of Eco Sensitive areas. Hence, NBWL Clearance is not required.
- (xviii) No Forest Clearance is required.
- (xix) No Court case is pending against the project.
- (xx) Investment/Cost of the project is Rs. 399 Crore.
- (xxi) Employment potential: It will provide employment to 300-350 no of labor's during construction phase & 10963 number as IPD Beds, Day care Beds, Residential Service Quarters, In-patients, Residents & 2512 nos. as Staff & Employee. (Existing Population- 5569 no.)
- (xxii) Benefits of the project: Social Benefits, Environmental Benefits and Financial Benefits.

4. The said project/activity is covered under Category 'B' of item 8(a) of the schedule to the EIA Notification, 2006, and requires prior EC based on the appraisal by SEAC, Haryana. However, due to non-existence of SEIAA/SEAC in Haryana at that time, the proposal has appraised at Central level by Expert Appraisal Committee (EAC-Violation).

5. Terms of Reference (ToR) was granted by State Environment Impact Assessment Authority, Haryana vide letter No. SEIAA/HR/2018/829 dated 26.07.2018.

J. Pare

6. The proposal for environmental clearance was considered by the Expert Appraisal Committee (EAC) for projects relating to violation of the EIA Notification, 2006, in terms of the provisions of the Ministry's Notification dated 14th March, 2017, in its 15th meeting held during 27-29 November, 2018 and 22nd meeting held during 21-22 May, 2019 in the Ministry. The committee found the EIA/EMP report satisfactory and in consonance with the ToR, and recommended the proposal for environmental clearance with certain conditions in terms of the provisions of the Ministry's Notification dated 14th March, 2017.

7. Based on recommendations of the EAC and finalization/approval of the bank guarantee for an amount of ₹3,60,90,000/- by the competent authority, towards Remediation Plan and Natural and Community Resource Augmentation Plan, the project proponent has submitted the desired bank guarantee with the Haryana State Pollution Control Board (HSPCB). The HSPCB vide letter No. HSPCB/EE/2019/501 dated 19.09.2019 has informed the Ministry regarding receipt of the bank guarantee dated 03.09.2019 which is valid up to 02.09.2024.

8. Considering the proposal submitted by the project proponent, recommendations of the EAC (Violation) and submission of the desired bank guarantee, the Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana by M/s Artemis Medicare Services Ltd, under the provisions of the Ministry's Notification dated 14th March, 2017, subject to the compliance of the following specific conditions in addition to all standard conditions applicable for such project:-

1. EAC recommended for an amount of ₹3,60,90,000/- towards Remediation plan and Natural and Community Resource Augmentation plan to be spend within a span of three years. The details are given below:

a) Cost of Remediation Plan

S. No.	Particular	Remediation Budget (Rs.)
1	Air Environment	a) Distribution of Wayu purifier @ ₹60,000 for 30 units = ₹18,00,000 b) Maintenance of Wayu Purifier for 3 years @ ₹1500/month = ₹16,20,000 c) Distribution of Sprinkler system <ul style="list-style-type: none"> • Sprinkler @ ₹1000/per pc for 100 = ₹1,00,000 • Twin Filtration system @ ₹15000/pc for 3 units = ₹45,000 • Pump @ ₹10000/pc for 3 units = ₹30,000 • Water Distributing Pipeline @ Rs 165/m for length of 3000 m = ₹4,95,000 d) Awareness Program for Health in Gurgaon Region = ₹12,50,000 e) Health check-up camp in nearby village = ₹15,00,000 f) Plantation and Maintenance of Plants in Nearby area road @ ₹1,500 for 1500 units = ₹22,50,000 Total Cost contributed towards Air Environment = ₹90,90,000
2.	Water Environment	a) Installation of Rain Water Harvesting Pits (Diameter 4 m & Depth- 4.5 m) in nearby village @ ₹3,00,000 per RWH pit (including raw material, labour, profit, construction, pipeline)

S. Bose

		<p>for 20 units = ₹60,00,000</p> <p>b) Maintenance of Rainwater Harvesting Pit before monsoon and after monsoon for 3 year @ ₹5,000/year/RWH Pit for 20 units = ₹3,00,000</p> <p>c) Procurement of RO Plant(1000 LPH) @ ₹2,00,000 for 10 units = ₹20,00,000</p> <p>d) Awareness program on 5R (Refuse, Recycle, Reuse, Repurpose and Recycle) = ₹2,00,000</p> <p>e) Installation of RO plant @ ₹5,000 for 10 units = ₹50,000</p> <p>f) Maintenance of RO Plant for 3 years @ ₹10,000/ year/ RO for 10 units = ₹3,00,000</p> <p>Total Cost to be contributed towards Water Environment = ₹88,50,000</p>
3.	Waste Management	<p>a) Distribution of Organic Waste Converter in Nearby Panchayat @ ₹15,00,000 for 4 units = ₹60,00,000</p> <p>Total cost to be contributed towards Waste Management = ₹60,00,000</p>
4.	Noise Environment	<p>a) Distribution of PPE (Personal Protective Equipment) to labors @ ₹1,00,000/year for 3 years = ₹3,00,000</p> <p>b) Awareness program in nearby area for Noise @ ₹1,00,000/year for 3 years = ₹3,00,000</p> <p>Total cost to be contributed towards Noise Environment = ₹6,00,000</p>
5.	Land Environment/Biological Environment	<p>a) Development of Park (in Consideration with Panchayat, development of Panchayat Park) = ₹10,00,000</p> <p>b) Land reclamation of nearby area (Approx. 8194 sqm equivalent to ground coverage of super structure creates @ trenching ₹45.85/sqm; uprooting weed ₹2.9/sqm; uprooting vegetation ₹35.75/sqm; supply stacking of earth ₹332.55/sqm; supply manure ₹192.05/ sqm, grassing ₹10.4/ sqm, Bed preparation ₹130.25/ sqm, tree guard ₹ 259/sqm, filling earth and sludge ₹10.7/ sqm, anti-terminate treatment ₹47.6/tree, plant of 500 trees @ 1500/tree other charges) = ₹20,00,000/-</p> <p>Total cost to be contributed towards Land Environment/Biological Environment = ₹30,00,000</p>

b) Year wise break up of Remediation Plan

S. No.	Activity	YEAR-WISE IMPLEMENTATION BUDGET (₹)			Total Budget (₹)
		1 st Year	2 nd Year	3 rd Year	
1.	Air Environment	₹34,76,667	₹ 28,06,667	₹28,06,667	₹90,90,000
2.	Water Environment	₹30,70,000	₹28,65,000	₹27,65,000	₹88,50,000
5.	Waste Management	₹30,00,000	₹15,00,000	₹15,00,000	₹60,00,000
4.	Noise Environment	₹2,00,000	₹2,00,000	₹2,00,000	₹6,00,000
3.	Land/ Biological Environment	₹20,00,000	₹ 10,00,000	₹ 0	₹30,00,000
TOTAL BUDGET FOR REVISED REMEDIATION PLAN (₹)					₹2,75,40,000

S. Bose

c) Year wise breakup of Natural Resource and Community Welfare Augmentation Plan Budgetary Allocation

S. No.	Aspect	Activity	YEAR-WISE IMPLEMENTATION BUDGET (₹)			Total Budget (₹)
			1 st Year	2 nd Year	3 rd Year	
1.	Natural Resource Augmentation	Providing Solar Lighting in the village and School (50kW solar Panel installation); Supply of LED Bulbs	₹20,00,000	₹20,00,000	₹10,00,000	₹50,00,000
TOTAL BUDGET FOR NATURAL RESOURCE AUGMENTATION PLAN (₹)						₹50,00,000
1.	Community Welfare	Construction of sanitation facilities. (Provision of 16 number of toilets)	₹2,00,000	-	₹6,00,000	₹8,00,000
2.		Medical Check-up camp in nearby area (for labors) and basic medicine supplies for women	₹3,00,000	-	₹3,00,000	₹6,00,000
3.		Installation of 10 RO plants (Drinking Facility)	₹7,00,000	₹7,00,000	-	₹14,00,000
4.		Provision of 25 Computers in the schools @ ₹30,000 each	₹2,25,000	₹5,25,000	-	₹7,50,000
TOTAL BUDGET FOR COMMUNITY WELFARE AUGMENTATION PLAN (₹)						₹35,50,000

d) Summary

S. No.	PARTICULARS	PROPOSED BUDGET (₹)
1.	Remediation Plan	₹2,75,40,000
2.	Natural Resource Augmentation plan	₹ 50,00,000
3.	Community Resource Augmentation Plan	₹35,50,000
TOTAL BUDGET FOR REMEDIATION, NATURAL & COMMUNITY RESOURCE AUGMENTATION		₹3,60,90,000

II. Total budgetary provision with respect to Remediation plan and Natural & Community Resource Augmentation plan is ₹3,60,90,000/-.

III. The project proponent has submitted bank guarantee of ₹3,60,90,000/- with HSPCB. The HSPCB vide letter No. HSPCB/EE/2019/501 dated 19.09.2019 has informed the Ministry regarding receipt of the bank guarantee dated 03.09.2019 which is valid up to 02.09.2024.

S. Bose

- IV. Remediation plan shall be completed in 3 years whereas bank guarantee shall be for 5 years. The bank guarantee shall be released after successful implementation of the EMP, followed by recommendations of the EAC and approval of the regulatory authority.
- V. Fund allocation for Corporate Environment Responsibility (CER) of ₹325.00 lakhs to be implemented.
- VI. Approval/permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities, as applicable. State Pollution Control Board (SPCB) concerned shall not issue Consent to Operate (CTO) till the project proponent obtains such permission.
- VII. Effective air pollution mitigation plan submitted to the Ministry shall be implemented in toto.
- VIII. Project proponent shall take necessary other clearances/permissions under various Acts and Rules if any, from the respective authorities / department.
- IX. PP shall implement RWH system as per the building code and guidelines.
- X. PP shall comply with the requirement of Green Belt (GB) guidelines of MoEFCC, apart from the committed GB during the meeting.
- XI. PP shall comply with ECBC of 2017 applicable for commercial buildings.
- XII. PP shall generate @1% of solar power/renewable energy, of the total demand.
- XIII. PP shall submit conservation plan for schedule 1 species duly approved by Chief wild life warden prior to grant of EC.
- XIV. Noise monitoring to be carried out before and after the noise barrier already erected.
- XV. All the vehicles for internal use in the hospital premises should be battery operated.

9. The grant of environmental clearance is subject to compliance of Standard EC Conditions as specified by the Ministry vide OM dated 4th January, 2019 for the said project/activity as per **Annexure**, and compliance of other general conditions, as under: -

- (i) The project authorities shall adhere to the stipulations made by the State Pollution Control Board, Central Pollution Control Board, State Government and any other statutory authority.
- (ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- (iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- (v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform

J. Bose

to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

- (vi) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- (vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- (viii) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (ix) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration.
- (x) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (xi) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- (xii) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (xiii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (xiv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (xv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (xvi) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of

J. Bose

which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(xvii) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.


11. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

12. This issues with approval of the competent authority.


(Dr. Subrata Bose)
Scientist 'F'

Copy to:

- 1) The Secretary, Directorate of Environment, Government of Haryana, SCO 1-2-3, Sector 17 D (Second Floor), Chandigarh.
- 2) The Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment, Forests and Climate Change, Regional Office (NZ), Bay No.24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Haryana Pollution Control Board, C-11, Sector-6, Panchkula, Haryana 134109.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEF&CC website.


(Dr. Subrata Bose)
Scientist 'F'

F. No. 22-34/2018-IA.III
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj,
New Delhi – 110003

E-mail: sharath.kr@gov.in
Tel: 011-24695319

Dated: 4th January, 2019

OFFICE MEMORANDUM

Sub.: Standardization of Environment Clearance conditions – reg.

The Ministry of Environment, Forest and Climate Change has notified the Environmental Impact Assessment (EIA) Notification, 2006 under the provisions of the Environment (Protection) Act, 1986, which regulates development and their expansion/modernization of 39 sectors/activities listed in the Schedule to the EIA Notification, 2006. There are two Category of projects viz. Category 'A' projects that are handled at the level of MoEF&CC and Category 'B' projects that are handled by the respective State Environment Impact Assessment Authority (SEIAA) following the procedure prescribed under the EIA Notification, 2006.

2. All projects or activities included as Category 'A' in the Schedule, including expansion and modernization of existing projects or activities and change in product mix, shall require prior environmental clearance from the Central Government in the Ministry of Environment and Forest and Climate Change (MoEF&CC) on the recommendations of an Expert Appraisal Committee (EAC) constituted by the Central Government for the purposes of this notification.

3. The Standard Environmental Clearance conditions have been prepared for expediting the process of Environmental Clearance without compromising environmental norms and the rigor of environment impact assessment.


4. The standard Environment Clearance conditions shall be considered by the concerned EAC with due diligence while recommending the Environmental Clearance. The expert appraisal committee can modify, prescribe additional conditions based on the project specific requirements.

5. The recommended conditions by the EAC shall be brought in the minutes of the meeting of the EAC.

6. The standard Environment Clearance conditions are herewith issued for the following sectors:

S.No.	Sector	Project / Activity
I.	Infrastructure	7(a) Airports 7(d) Common hazardous waste treatment, storage and disposal facilities (TSDFs) 7(da) Bio-medical waste treatment facility 7(e) Port, Harbour, Break water and Dredging 7(g) Aerial Ropeways 7(h) Common Effluent Treatment Plants 7(i) Common Municipal Solid Waste Management Facility
II.	Building/construction Projects, Area Development Projects	8 (a) Building and construction projects 8(b) Township and Area Development Projects.

7. This issues with the approval of competent authority.


(Sharath Kumar Pallerla)
Director (IA-III-Policy)

To

1. Chairman, Central Pollution Control Board (CPCB).
2. Chairman of all the Expert Appraisal Committees
3. Chairperson/Member Secretaries of all the SEIAAs/SEACs
4. All the Officers of I.A. Division
5. Chairpersons/Member Secretaries of all SPCBs/UTPCCs

Copy for information to:

1. PS to Hon'ble Minister for Environment, Forest and Climate Change
2. PS to Hon'ble MoS (EF&CC)
3. PPS to Secretary(EF&CC)
4. PPS to AS(AKJ) / AS (AKM)
5. PS to JS (RSP)/ JS(JT)/JS(GM)
6. Website, MoEF&CC
7. Guard file.

Standard EC Conditions for Project/Activity 8(a/b): Building and Construction projects / Townships and Area Development projects

I. Statutory compliance:

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- vii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.

- x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

II. Air quality monitoring and preservation

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All

demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules, 2016.

- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- v. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.

- vi. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vii. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- viii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- ix. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- x. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xi. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xii. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xiii. All recharge should be limited to shallow aquifer.
- xiv. No ground water shall be used during construction phase of the project.
- xv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xvi. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the

project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.

- xvii. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xviii. No sewage or untreated effluent water would be discharged through storm water drains.
- xix. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xx. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxi. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary

precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).

- ii. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and

increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

IX. Human health issues

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and /

or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

XI. Miscellaneous

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

F. No. 23-279/2018-IA-III(V)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, New Delhi - 3

Date: 27th August, 2019

To,

The Member Secretary,
Haryana Pollution Control Board,
C-11, Sector-6, Panchkula - 134109, Haryana

**Sub: Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana by
M/s Artemis Medicare Services Ltd - Submission of Bank Guarantee - reg.**

Sir,

This has reference to proposal No. IA/HR/MIS/84185/2007 dated 01.11.2018 from M/s Artemis Medicare Services Ltd for Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana, along with the application in prescribed format (Form-I), for consideration under the provisions of S.O. 804 (E) dated 14th March, 2017.

2. The Ministry has issued a Notification vide S.O.804 (E) dated 14th March, 2017 for appraisal of projects for grant of terms of reference/environmental clearance, which have started the work on site, expanded the production beyond the limit of environmental clearance, or changed the product mix without obtaining prior environmental clearance under the EIA Notification, 2006.

3. As per the above said Notification, in cases of violation, action is to be taken against the project proponent by the respective State Government or the State Pollution Control Board under the provisions of the Environment (Protection) Act, 1986 and further, no consent to operate or occupancy certificate to be issued till the project is granted environmental clearance.

4. The said project/activity is covered under Category 'B' of item 8(a) of the schedule to the EIA Notification, 2006, and requires prior EC based on the appraisal by SEAC, Haryana. However, due to non-existence of SEIAA/SEAC in Haryana, the proposal is appraised at Central level by Expert Appraisal Committee (EAC-Violation).

5. Terms of Reference (ToR) was granted by State Environment Impact Assessment Authority, vide Memo No. SEIAA/HR/2018/829 dated 26.07.2018.

6. The proposal for environmental clearance was considered by the Expert Appraisal Committee (EAC) for projects relating to violation of the EIA Notification, 2006, in terms of the provisions of the Ministry's Notification dated 14th March, 2017, in its 15th meeting held during 27-29 November, 2018 and 22nd meeting held during 21-22 May, 2019 in the Ministry. The Committee has recommended the proposal for grant of

J. Rose

*Issued
on 27/8/19*

environmental clearance subject to compliance of certain conditions, including the following:

- I. Total budgetary provision with respect to Remediation plan and Natural & Community Resource Augmentation plan is Rs. Rs. 3,60,90,000/-.
- II. Therefore, project proponent shall be required to submit a bank guarantee of an amount of Rs. 3,60,90,000/- towards Remediation plan and Natural and Community Resource Augmentation plan with the SPCB prior to the grant of EC.
- III. Remediation plan shall be completed in 3 years whereas bank guarantee shall be for 5 years. The bank guarantee shall be released after successful implementation of the EMP, followed by recommendations of the EAC and approval of the regulatory authority.
- IV. Fund allocation for Corporate Environment Responsibility (CER) of Rs. 325/- lakhs to be implemented.
- V. Approval/permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities, if applicable. State Pollution Control Board (SPCB) concerned shall not issue Consent to Operate (CTO) till the project proponent obtains such permission.
- VI. Effective air pollution mitigation plan submitted to the Ministry shall be implemented in toto.
- VII. Project proponent shall take necessary other clearances/permissions under various Acts and Rules if any, from the respective authorities / department.
- VIII. PP shall implement RWH system as per the building code and guidelines.
- IX. PP shall comply with the requirement of Green Belt (GB) guidelines of MoEFCC, apart from the committed GB during the meeting.
- X. PP shall comply with ECBC of 2017 applicable for commercial buildings.
- XI. PP shall generate @1% of solar power/renewable energy, of the total demand.
- XII. PP shall submit conservation plan for schedule 1 species duly approved by Chief wild life warden prior to grant of EC.
- XIII. Noise monitoring to be carried out before and after the noise barrier already erected.
- XIV. All the vehicles for internal use in the hospital premises should be battery operated.

7. As per the provisions contained in the Ministry's Notification dated 14th March, 2017, the project proponent is required to submit a bank guarantee equivalent to the amount of remediation plan and natural and community resource augmentation plan with the State Pollution Control Board and the quantification will be recommended by EAC and finalized by Regulatory Authority and the bank guarantee shall be deposited prior to the grant of EC and will be released after successful implementation of the remediation plan and Natural and Community Resource Augmentation Plan, and after

J. Rose

the recommendation by Regional Office of the Ministry, Expert Appraisal Committee and approval of the Regulatory Authority.

8. Based on the recommendations of the EAC and as per the Notification dated 14th March, 2017, the Ministry has now asked the project proponent to submit a bank guarantee of Rs. 3,60,90,000/- (Three Crore Sixty Lakhs Ninety Thousands only) with the State Pollution Control Board for consideration of their project for environmental clearance.

9. It is requested that the Ministry may be intimated regarding receipt of bank guarantee of Rs. 3,60,90,000/- (Three Crore Sixty Lakhs Ninety Thousands only) by the SPCB from M/s Artemis Medicare Services Ltd. The bank guarantee shall be released after successful implementation of the remediation plan and natural and community resource augmentation plan, and after the recommendation by Regional Office of the Ministry, Expert Appraisal Committee and approval of the Regulatory Authority.

10. This issues with approval of the competent authority.


(Dr. Subrata Bose)
Scientist F

Copy to:-

1. The Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment, Forests and Climate Change, Regional Office(NZ), Bay No.24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030.
2. M/s Artemis Medicare Services Ltd, Plot No. 14, Sector-20, Dwarka, New Delhi-110075.
3. Guard File/Monitoring File/Website/Record File.
4. MoEF&CC website.


(Dr. Subrata Bose)
Scientist F

F. No. 23-279/2018-IA-III(V)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jor Bagh Road, New Delhi - 3

Date: 27th August, 2019

To,

M/s Artemis Medicare Services Ltd.
Plot No. 14, Sector-20, Dwarka, New Delhi-110075
E-Mail: joginder@artemishospitals.com

Subject: Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana by M/s Artemis Medicare Services Ltd - Submission of Bank Guarantee - reg.

Sir,

This has reference to your proposal No. IA/HR/MIS/84185/2007 dated 01.11.2018 from M/s Artemis Medicare Services Ltd for Expansion of Artemis Hospital located at Sector-51, Gurgaon, Haryana, along with the application in prescribed format (Form-I), for consideration under the provisions of S.O. 804 (E) dated 14th March, 2017.

2. The Ministry has issued a Notification vide S.O.804 (E) dated 14th March, 2017 for appraisal of projects for grant of terms of reference/environmental clearance, which have started the work on site, expanded the production beyond the limit of environmental clearance, or changed the product mix without obtaining prior environmental clearance under the EIA Notification, 2006.

3. As per the above said Notification, in cases of violation, action is to be taken against the project proponent by the respective State Government or the State Pollution Control Board under the provisions of the Environment (Protection) Act, 1986 and further, no consent to operate or occupancy certificate to be issued till the project is granted environmental clearance.

4. The said project/activity is covered under Category 'B' of item 8(a) of the schedule to the EIA Notification, 2006, and requires prior EC based on the appraisal by SEAC, Haryana. However, due to non-existence of SEIAA/SEAC in Haryana, the proposal has been appraised at Central level by Expert Appraisal Committee (EAC-Violation).

5. Terms of Reference (ToR) was granted by State Environment Impact Assessment Authority, vide Memo No. SEIAA/HR/2018/829 dated 26.07.2018.

6. The proposal for environmental clearance was considered by the Expert Appraisal Committee (EAC) for projects relating to violation of the EIA Notification, 2006, in terms of the provisions of the Ministry's Notification dated 14th March, 2017, in its 15th meeting held on 27-29 November, 2018 and 22nd meeting held on 21-22 May,

J. Bose

*Issued
on 27/8/19.*

2019 in the Ministry. The Committee has recommended the proposal for grant of environmental clearance subject to compliance of certain conditions, including the following:

- I. Total budgetary provision with respect to Remediation plan and Natural & Community Resource Augmentation plan is Rs. 3,60,90,000/-.
- II. Therefore, project proponent shall be required to submit a bank guarantee of an amount of Rs. 3,60,90,000/- towards Remediation plan and Natural and Community Resource Augmentation plan with the SPCB prior to the grant of EC.
- III. Remediation plan shall be completed in 3 years whereas bank guarantee shall be for 5 years. The bank guarantee shall be released after successful implementation of the EMP, followed by recommendations of the EAC and approval of the regulatory authority.
- IV. Fund allocation for Corporate Environment Responsibility (CER) of Rs. 325/- lakhs to be implemented.
- V. Approval/permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities, if applicable. State Pollution Control Board (SPCB) concerned shall not issue Consent to Operate (CTO) till the project proponent obtains such permission.
- VI. Effective air pollution mitigation plan submitted to the Ministry shall be implemented in toto.
- VII. Project proponent shall take necessary other clearances/permissions under various Acts and Rules if any, from the respective authorities / department.
- VIII. PP shall implement RWH system as per the building code and guidelines.
- IX. PP shall comply with the requirement of Green Belt (GB) guidelines of MoEFCC, apart from the committed GB during the meeting.
- X. PP shall comply with ECBC of 2017 applicable for commercial buildings.
- XI. PP shall generate @1% of solar power/renewable energy, of the total demand.
- XII. PP shall submit conservation plan for schedule 1 species duly approved by Chief wild life warden prior to grant of EC.
- XIII. Noise monitoring to be carried out before and after the noise barrier already erected.
- XIV. All the vehicles for internal use in the hospital premises should be battery operated.

7. As per the provisions contained in the Ministry's Notification dated 14th March, 2017, the project proponent is required to submit a bank guarantee equivalent to the amount of remediation plan and natural and community resource augmentation plan with the State Pollution Control Board and the quantification will be recommended by EAC and finalized by Regulatory Authority and the bank guarantee shall be deposited prior to the grant of EC and will be released after successful implementation of the

S. Rose

remediation plan and Natural and Community Resource Augmentation Plan, and after the recommendation by Regional Office of the Ministry, Expert Appraisal Committee and approval of the Regulatory Authority.

8. The Ministry accepts the recommendations of the EAC (violation) regarding quantum of bank guarantee towards remediation plan and natural and community resource augmentation plan. In this regard, you are required to submit the bank guarantee of Rs. 3,60,90,000/- (Three Crore Sixty Lakhs Ninety Thousands only) with the State Pollution Control Board for consideration of the project for environmental clearance. The bank guarantee shall be released after successful implementation of the remediation plan and natural and community resource augmentation plan, and after the recommendation by Regional Office of the Ministry, Expert Appraisal Committee and approval of the Regulatory Authority.

9. This issues with approval of the competent authority.


(Dr. Subrata Bose)
Scientist F

Copy to:-

1. The Member Secretary, Haryana Pollution Control Board, C-11, Sector-6, Panchkula, Haryana 134109 - **with the request to confirm receipt of the bank guarantee from the project proponent, as stated above.**

Copy for information to:-

1. The Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment, Forests and Climate Change, Regional Office(NZ), Bay No.24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030.
2. Guard File/Monitoring File/Website/Record File.
3. MoEF&CC website.


(Dr. Subrata Bose)
Scientist F

ANNEXURE - II
COPY OF CONSENT TO ESTABLISH



**HARYANA STATE POLLUTION CONTROL
BOARD**

**Gurgaon North Vikas Sada, 1st Floor, Near DC Court,
Gurgaon Ph. 0124-2332775**

Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Telephone No.: 0172-2577870-73



No. HSPCB/Consent/ : 313099719GUNOCTE6992359

Dated:05/12/2019

To.

M/s : Artemis Medicare Services Limited
Artemis hospital(A unit of Artemis medicare services limited) Sector 51, Gurugram
Sector-51,Gurgaon
GURGAON
122001

Sub. : Grant of consent to Establish to M/s Artemis Medicare Services Limited

Please refer to your application no. 6992359 received on dated 2019-10-17 in regional office Gurgaon North.

With reference to your above application for consent to establish,M/s Artemis Medicare Services Limited is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	05/12/2019 - 26/09/2026
Industry Type	Health -care Establishment / Projects having discharge of 100 KLD or More with or Without Incinerator
Category	RED
Investment(In Lakh)	36757.3203
Total Land Area (Sq. meter)	33588.91
Total Builtup Area (Sq. meter)	67444.65
Quantity of effluent	
1. Trade	70.0 KL/Day
2. Domestic	725.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Recycling/ reuse
2. Trade	Recycling/ reuse
Permissible Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l

Permissible Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Number of stacks	1
Height of stack	
1. Attached with DG set 750x2, 1250x1, 1250x2, 1500x1, 1500x2, 750x1(Above roof level)	7 Meter
Permissible Emission parameters	
1. NA	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	4.23 KL/day

HARYANA STATE

Regional Officer, Gurgaon North

Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 795 KL/Day i.e 70KL/Day for Trade Effluent, 0 KL/Day for Cooling, 725 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted will be without prejudice to any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation is observed at any stage. 2. Unit will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board. 3. Unit will obtain prior CTO before starting of production. 4. Unit will obtain all necessary clearance from all concerned departments. 5. The unit will install STP/ETP/APCM along with the main project. 6. The unit will install the project only on the land for which Town and Country Planning Department/HUDA/HSIIDC has given license. 7. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules, 8. Unit will apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE. 9. That in case any additional charges / fees / penalty etc. are found payable towards this authorization / CTO/ CTE as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office. 10. If at any stage found that unit was involved in any past violation, If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTE so granted shall be revoked automatically & legal action will be initiate against the project proponent. 11. Unit will use only treated effluent supplied from Sewage treatment plant during construction phase of the project. 12. That this CTE will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question. 13. Unit will not discharge any type Treated or untreated effluent outside the premises of the project. 14. Unit will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc. 15. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 16. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible. 17. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc. 18. Unit will not discharge any type of effluent outside of the premises of the project and reuse/recycle of treated waste water. 19. Continuous monitoring of effluent quality / quantity in large and medium Red Category Industries. 20. A detailed water harvesting plan may be submitted by the project proponent. 20. Unit will achieve zero discharge and install latest technology of STP and reuse/recycle of treated effluent. 21. Unit will dispose off their waste/spent oil of DG sets only 2 authorized recyclers by the HSPCB. 22. Monitoring of compliance of EC conditions may be submitted with third party audit every year. 23. The % of the CER may be least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance. 24. Unit will submit the above mentioned compliance within 90 days. 25. The Project Proponent/unit will not claim any benefits on the basis of this CTE in respect of past violation committed by them.

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*

ANNEXURE - III
COPY OF CONSENT TO OPERATE



HARYANA STATE POLLUTION CONTROL BOARD

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:-
hspcbrogrn@gmail.com
E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313099722GUNOCTO22918438

Dated:19/08/2022

To.

M/s :Artemis Medicare Services Limited
Artemis Hospital (A unit of Artemis medicare services limited) Sector 51, Gurugram,
Sector-51,Gurugram

Subject: Grant of consent to operate to M/s Artemis Medicare Services Limited.

Please refer to your application no. 22918438 received on dated 2022-06-30 in regional office Gurgaon North. With reference to your above application for consent to operate, M/s Artemis Medicare Services Limited is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2022 - 30/09/2027
Industry Type	Health -care Establishment / Projects having discharge of 100 KLD or More with or Without Incinerator
Category	RED
Investment(In Lakh)	41749.0
Total Land Area(Sq. meter)	33588.91
Total Builtup Area(Sq. meter)	49102.0
Quantity of effluent	
1. Trade	44.0 KL/Day
2. Domestic	324.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	REUSE /RECYCLE
2. Trade	PUBLIC SEWER
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l

3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0
Number of stacks	5
Height of stack	
1. DG Stack	6 METER
2. DG Stack	6 METER
3. DG Stack	6 METER
4. DG Stack	6 METER
5. DG Stack	6 METER
Emission parameters	
1. NA	
Product Details	
1. NA	Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	0.48 KL/day
Raw Material Details	
NA	Metric Tonnes/Day

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. Unit will run and maintain it's STP/ETP/APCM regularly and properly, will provide separate energy meter on their STP/ETP/APCM and maintain the Log Book for energy consumption of STP/ETP/APCM and chemicals used daily for the STP/ETP.
2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Act
3. That the unit will adopt cleaner technology thereby reducing pollution load.
4. That the unit will provide inter locking arrangement of DG set with STP/ETP/APCM and shall have separate D.G. set to ensure regular and effective running of pollution control devices.
5. That the unit will not discharge any untreated effluent inside and outside its premises.
6. Unit will provide separate flow meter at Inlet/ Outlet of STP/ETP for which separate log book will be maintained if required.
7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load.
8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis.
9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.
10. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty

will be imposed as per policy. 11. Unit will submit compliance report of general & specific conditions mentioned in CTO alongwith fresh analysis report within 03 months. 12. Unit will install Emission control measures on DG set of capacity more than 500 KVA having minimum specified PM capturing efficiency of atleast 70% approved by CPCB recognized labs or shift to gas based generator in compliance of HSPCB office order no. 4230-44 dated 25.06.2020.

***Regional Officer, Gurgaon North
Haryana State Pollution Control Board.***



ANNEXURE - IV
COPY OF *BOREWELL PERMISSION*

No.40-4/GUR-Artemis/CGWA/2007-1492

Dated- 11/12/2007

11 DEC 2007

To,

✓ The Divisional Head - Operations
Artemis Medicare Service Pvt. Ltd.
Artemis Health Institute
Sector -51, Gurgaon (Haryana)

Sub: Permission for boring of one Tubewell at Artemis Medicare Service Pvt. Ltd. Artemis Health Institute, Sector -51, Gurgaon (Haryana)

Please refer to your letter dated 06/09/2007 on the above cited subject. After examining the case, permission is hereby accorded, for boring one (1) tube well in the premises of Artemis Medicare Service Pvt. Ltd. Artemis Health Institute, Sector -51, Gurgaon (Haryana)

The terms and conditions of permission are given below-

1. The maximum diameter of the well should be restricted to 100 mm only and capacity of the pump may not exceed 1 HP.
2. Tube well proposed to be constructed must be located within the specified area allotted to Artemis Medicare Service Pvt. Ltd. Artemis Health Institute, Sector -51, Gurgaon.
3. The constructions of tube well is to be done through a drilling contractor registered with the Central Ground Water Authority.
4. The water from the tube well shall be **exclusively used for drinking and domestic purposes only.**
5. The details of drilling like strata encountered, design details of tube well, yields, etc. are to be furnished to the Central Ground Water Authority after completion of the construction of tube well.
6. The authorities of the Artemis Medicare Service should take up artificial recharge scheme in the said premises. The completion of Artificial Recharge structures may be **done within 45 days** from issuance of this letter, and inform accordingly to the Central Ground Water Authority for verification.
7. The Photographs of the recharge structures and constructed tube well is to be furnished immediately after completion of the same.

This permission is **valid for two months** from the date of issuance of this letter. However, Central Ground Water Authority reserves its rights to withdraw/cancel the permission so granted at any time without assigning any reason, if the contingency so demands, in the opinion of the Authority.

This issues with the approval of the Member Secretary, CGWA.

Yours faithfully

R. Sharma
(R.C. Sharma)
Scientist-D
11/12/07

Copy for information to

1. The Deputy Commissioner, Mini Secretariat, Sector-15, Gurgaon,
2. TS to Chairman, CGWB, NH-IV, Faridabad.

(R.C. Sharma)
Scientist-D

From

Chairman, T.C.C.
Cum Additional Deputy Commissioner, Gurgaon.

To

Artmis Medicare Services Pvt Ltd, Sector 5, Gurgaon

Sub.

No. 1091 dated 23/11/10
Permission for boring of One tubewell at Artmis Health Centre
for drinking & domestic purpose. Sector 5, Gurgaon

Memo.

With reference to your application no _____ dated 23.2.09 on the above cited subject permission is hereby accorded for boring of One tubewells at Artmis Health Centre, Sector 5, Gurgaon per decision taken in the meeting of Technical Core Committee held on dated 27-10-2010

The terms & conditions of permission are given below :-

- 1 The ground water from the tubewell shall be exclusively used for drinking & domestic purpose only and not for construction or any other purposes. The applicant will have to submit the undertaking on affidavit for the same .
- 2 The applicant shall take up rain water harvesting scheme in the project area .
- 3 Treated waste water shall be utilized for gardening and flushing purposes by providing dual water supply system .
- 4 Photograph alongwith exact location of constructed tubewells and rain water harvesting structure are to be submitted after completion to the Chairman T.C.C. Gurgaon.
- 5 After getting the adequate water supply from concerned Private/Govt agency, the applicant would not be allowed abstraction of ground water
- 6 The water level in the tubewells is to be monitored quarterly (January, May, August & November) in a year regularly and ground water quality is to be monitored twice in a year during pre & post monsoon period and data to be submitted to Hydrologist office, Ground Water Cell Gurgaon on regular basis .
- 7 The details of drilling like strata encountered design of tubewells & yield etc. are to be submitted to Chairman T.C.C. Gurgaon after completion of the structure.


This permission for construction of tubewell is valid for two months from the date of issuance of this letter. However the Technical Core Committee Gurgaon reserves its rights to withdraw/cancel the permission so granted at any time without assigning any reason , if the contingency so demands, in the opinion of the Committee .


Chairman, T.C.C.
Cum Additional Deputy Commissioner, Gurgaon.

No.

dated

A copy is forwarded to Member Secretary ,C.G.W.A. New Delhi for favour of information & necessary action please .


Chairman, T.C.C.
Cum Additional Deputy Commissioner, Gurgaon.



ANNEXURE - V
COPY OF ELECTRICITY BILL

Meter Reading Date	Period Days		MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New			Old	New						
01/03/2022	01/04/2022	31	0.00 ()	kWh	621514	642515.5	40	840060	840060	OK	OK	A
01/03/2022	01/04/2022	31	1943.20 (KVA)	kVAh	652289.5	674385.5	40	883840	883840	OK	OK	A

Arrears Outstanding for the Financial Year (₹)		
Previous	Current	Total (₹)
0.00	3530782.83	3530782.83
0.00	-2330562.95	-2330562.95
0.00	-119745.00	-119745.00
0.00	58736.00	58736.00
0.00	-107062.55	-107062.55
0.00	-1031423.36	-1031423.36
0.00	0.00	0.00
0.00	724.97	724.97

Slab Calculation		
Unit	Rate	Amount (₹)
883840	6.650	5877536.00
Total		5877536.00

Applicable Tariff on Read Date:

Connection Details	
Tariff Category	HTS-NDS
Flats in BS (DS)	1
Supply Voltage(kV)	11.00 kV
Sanctioned Load (KW/CD)	3100.00/66.24
MMC(₹)	0.00
Cons. Security (₹)	3100000.01
Meter Security (₹)	0.02
Meter Ownership/MDI Meter	Nigam meter/
Meter Make/Meter Type	Secure Meter Ltd. /HT-MTR

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details																																									
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)																																									
Energy Charges	11267.01	Current Cycle Charges	6090585.07	4222332.00																																									
Energy Charges	5877536.00	Arrears/Outstanding Dues	724.97	Receipt No	800386066521																																								
MDI/FC for Reconnection	0.00	Sundry Charges/Allowances	0.00/0.00	Receipt Date	11/03/2022																																								
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00	Mode of Payment	DD																																								
Surcharge Adjustment	0.00	LPS Adjustment	0.00	<table border="1"> <thead> <tr> <th colspan="5">Previous Consumption Pattern</th> </tr> <tr> <th>Bill month</th> <th>Units (KWH)</th> <th>Units (KVAH)</th> <th>MDI</th> <th>Status</th> </tr> </thead> <tbody> <tr> <td>Oct-2021</td> <td>1049600</td> <td>1102300</td> <td>2323.2</td> <td>OK</td> </tr> <tr> <td>Nov-2021</td> <td>912380</td> <td>950820</td> <td>2211.2</td> <td>OK</td> </tr> <tr> <td>Dec-2021</td> <td>680340</td> <td>700540</td> <td>1494.4</td> <td>OK</td> </tr> <tr> <td>Jan-2022</td> <td>655720</td> <td>678362.4</td> <td>1379.2</td> <td>OK</td> </tr> <tr> <td>Feb-2022</td> <td>636760</td> <td>656457.6</td> <td>1286.4</td> <td>OK</td> </tr> <tr> <td>Mar-2022</td> <td>587360</td> <td>612240</td> <td>1488</td> <td>OK</td> </tr> </tbody> </table>		Previous Consumption Pattern					Bill month	Units (KWH)	Units (KVAH)	MDI	Status	Oct-2021	1049600	1102300	2323.2	OK	Nov-2021	912380	950820	2211.2	OK	Dec-2021	680340	700540	1494.4	OK	Jan-2022	655720	678362.4	1379.2	OK	Feb-2022	636760	656457.6	1286.4	OK	Mar-2022	587360	612240	1488	OK
Previous Consumption Pattern																																													
Bill month	Units (KWH)	Units (KVAH)	MDI			Status																																							
Oct-2021	1049600	1102300	2323.2			OK																																							
Nov-2021	912380	950820	2211.2			OK																																							
Dec-2021	680340	700540	1494.4	OK																																									
Jan-2022	655720	678362.4	1379.2	OK																																									
Feb-2022	636760	656457.6	1286.4	OK																																									
Mar-2022	587360	612240	1488	OK																																									
Penalty Charges	0.00	Other Non-Energy Charges	0.00	In case of bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.																																									
Business Load Surcharge	0.00	Net Payable Amount	6091310.00	Date from which bill other than "OK" is being issued: Reason:																																									
Capacitor Surcharge	0.00	On Or Before Due Date(₹)	6091310.00																																										
Meter Service Charges	0.00	Surcharge(₹)	89068.00																																										
Meter Service Charges	0.00	Gross Amount Payable After Due Date(₹)	6180378.00																																										
Capacitor Service Charges	0.00	Brief details of Sundry charges /allowances																																											
Rebate / BS Rebate	0.00/0.00																																												
W. Rbt. / Govt. Subsidy	0.00/0.00																																												
Electricity Duty	84006.00																																												
Municipal Tax	117776.06																																												
Total Current Cycle Charges (₹)	6090585.07																																												

Cheque/DD to be drawn in favour of SDO G26-South City, DHBVN, GURUGRAM

Important Information for consumers:
 Under Section-56 of EA-2003, the supply of electricity shall not be cut off if the consumer deposits, under protest, a) an amount equal to the sum claimed from him, or b) the electricity charges due from him for each month calculated on the basis of average charge for electricity paid by him during the preceding six months, whichever is less, pending disposal of any dispute between him and the licensee

Address and Telephone Number(s) of the authorities relating to consumers grievances			
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		Address & Telephone number(s) of complaint centers
	Consumer Grievance Redressal Forum	Ombudsman	
Assistant General Manager Operation - G26-South City	HETRI HOUSE, GURUGRAM	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : herc-chd@nic.in Contact No. - 0172-2582531	18001804334 (Toll Free) 1800 180 2124 (Vigilance Toll Free)

Reading Date - 08.03.2022 - 07.04.2022
 Payable Amount - 6091310/-
 Last Date - 18/04/22

Handwritten signature and initials

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)													
Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sta
	Old	New				Old	New						
X0979594	01/04/2022	19/04/2022	18	0.00 ()	kWh	642515.6	650890	40	575300	575300	OK	OK	A
X0979594	01/04/2022	19/04/2022	18	2076. 00 (KVA)	kVAh	674385.5	689749	40	614540	614540	OK	OK	A
X0979594	19/04/2022	01/05/2022	12	0.00 ()	kWh	656890	663993	50	354250	354250	OK	OK	A
X0979594	19/04/2022	01/05/2022	12	2188. 00 (KVA)	kVAh	689749	697407.5	50	382925	382925	OK	OK	A

Arrears Outstanding for the Financial Year (₹)				Slab Calculation			Connection Details	
Description	Previous	Current	Total (₹)	Unit	Rate	Amount (₹)	Teriff Category	HTS-NDS
SOP Charges	0.00	3467552.93	3467552.93	997485	6.650	6633142.25	Flats In BS (DS)	1
F.S.A.	0.00	-2330562.95	-2330562.95	Total		6633142.25	Supply Voltage(KV)	11.00 kV
Surcharge	0.00	-119745.00	-119745.00	Applicable Tariff on Read Date:			Sanctioned Load (kW/KVA)	4364.00/68.24
E. Duty	0.00	84006.00	84006.00				MMC(₹)	0.00
M. Tax	0.00	-70917.94	-70917.94				Cons. Security (₹)	4364000.01
Fixed Charges	0.00	-1030333.00	-1030333.00				DOC/DOE	15/09/2009/
Excess Credit	0.00	0.00	0.00				Meter Ownership/MDI Meter	Nigam meter/
Total Arrear	0.00	0.04	0.04				Meter Make/Meter Type	Secure Meter Ltd. /HT-MTR

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details				
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)	8091310.00			
Fixed Charges	10903.56	Current Cycle Charges	6869881.73	Receipt No	800388043256			
Energy Charges	6633142.25	Arrears/Outstanding Dues	0.04	Receipt Date	15/04/2022			
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	6633142.25	Mode of Payment	DD			
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00	Previous Consumption Pattern				
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status
TDS/TCS	0.00/0.00	Other Non-Energy Charges	0.00	Nov-2021	912380	950820	2211.2	OK
Excess Load Surcharge	0.00	Net Payable Amount	7383717.00	Dec-2021	680340	700540	1494.4	OK
Capacitor Surcharge	0.00	On Or Before Due Date(₹)		Jan-2022	655720	678362.4	1379.2	OK
Meter Service Charges	0.00	Surcharge(₹)	107172.00	Feb-2022	636760	658457.6	1286.4	OK
Line Service Charges	0.00	Gross Amount Payable After Due Date(₹)	7490869.00	Mar-2022	587360	612240	1488	OK
Capacitor Service Charges	0.00	Brief details of Sundry charges /allowances		Apr-2022	840060	883840	1943.2	OK
Solar Rebate /Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00	11212/ROW ID 525170/SR 121		In case of bill, is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.				
Govt. Subsidy/Battery Rbt	0.00/0.00	FC ()		Date from which bill other than "OK" is being issued: Reason:				
Electricity Duty	92955.00	Metering Equipment Testing Charges		800388043256				
Municipal Tax / P Tax	132680.92	HESL-GURUGRAM						
Total Current Cycle Charges (₹)	6869881.73	South City Sub Div (SDP)						

DD to be drawn in favour of **SDO G26-South City, DHDVN, GURUGRAM**

Amount: **7383717**

Signature: *[Signature]*

Stamp: **RECEIPT OF DD HESL-GURUGRAM South City Sub Div (SDP)**

Important Information for consumers: This Bill is considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date.

Address and Telephone Number(s) of the authorities relating to consumers grievances		
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the	
Assistant General Manager Operation - G26-South City	Consumer Grievance Redressal Forum	Ombudsman
	For all type of complaints call at: 18001804334 (Toll Free)	

Reading Date - 07.04.22 to 08.05.22

Payable Amount - 7383717

Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
X0979594	01/05/2022	01/06/2022	31	0.00 ()	kWh	663983	688212.5	50	1211475	1211475	OK	OK	A
X0979594	-01/05/2022	01/06/2022	31	2947.00 (KVA)	kVAh	697407.5	723628	50	1310925	1310925	OK	OK	A

Arrears Outstanding for the Financial Year (₹)				Slab Calculation			Connection Details			
Description	Previous	Current	Total (₹)	Unit	Rate	Amount (₹)	Tariff Category			
SOP Charges	0.00	2930027.25	2930027.25	1310925	6.650	8717651.25	HTS-NDS			
F.S.A.	0.00	-2330562.95	-2330562.95	Total			Flats in BS (DS)	11.00 kV		
Surcharge	0.00	-119745.00	-119745.00	Applicable Tariff on Read Date:			Supply Voltage(k	4364.00/4840		
E. Duty	0.00	92955.00	92955.00				Sanctioned Load (W/KVA)	0.00		
M. Tax	0.00	-55813.08	-55813.08				MMC(₹)	4364000.0		
Fixed Charges	0.00	-516861.45	-516861.45				Cons. Security (₹)	15/09/2009		
Excess Credit	0.00	0.00	0.00				DOC/DOE	Nigam meter		
Total Arrear	0.00	-0.23	-0.23				Meter Ownership/MDI Meter	Secure Meter Ltd./HT MTR		
							Meter Make/Meter Type			

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details				
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)				
Fixed Charges	504156.63	Current Cycle Charges	9527391.54	7383717.00				
Energy Charges	8717651.25	Arrears/Outstanding Dues	-0.23	Receipt No	80038607049			
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	728467.74/-	Receipt Date	12/05/2022			
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	5761556.01	Mode of Payment	DI			
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00	Previous Consumption Pattern				
TDS/TCS	0.00/0.00	Other Non-Energy Charges	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status
Excess Load Surcharge	0.00	Net Payable Amount On Or Before Due Date(₹)	11050303.00	Dec-2021	68034	700540	1494.4	OK
Capacitor Surcharge	0.00	Surcharge(₹)	160614.00	Jan-2022	6557	678362.4	1379.2	OK
Meter Service Charges	0.00	Gross Amount Payable After Due Date(₹)	11210917.00	Feb-2022	6367.00	656457.6	1286.4	OK
Line Service Charges	0.00	Brief details of Sundry charges /allowances		Mar-2022	587360	612240	1488	OK
Capacitor Service Charges	0.00	11211121112111/558788/sr no 6		Apr-2022	840080	883840	1943.2	OK
Solar Rebate /Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00	SOP ()		May-2022	929550	997465	2188	OK
Govt. Subsidy/Battery Rbt	0.00/0.00	Rate Revision FC (Retro adjustment for tariff change sale circular no D-12/2021)		In case of bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.				
Electricity Duty	121147.50	Rate Revision Mtax (Retro adjustment for tariff change sale circular no D-12/2021)		Date from which bill other than "OK" is being issued:		Reason:		
Municipal Tax / P Tax	184436.16	9527391.54		16th April 2022 Remains Arrear				
Total Current Cycle Charges (₹)								

DD to be drawn in favour of **SDO G26-South City, DHBVN, GURUGRAM**

Important Information for consumers:
 Payment of this bill can be made online by logging on the Website: www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.
 This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 7 days of due date.

Address and Telephone Number(s) of the authorities relating to consumers grievances			For all type of complaint call at:
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		18001804334 (Toll Free)
Assistant General Manager Operation - G26-South City	Consumer Grievance Redressal Forum	Ombudsman	

Reading Date - 08.05.22 to 06.06.22
 Payable Amount - 11050303.00



Electricity Bill

Duplicate Bill
REVISED BILL



Account No: 8003860000

8 0 0 3 8 6 0 0 0 1 1 0 5 0 3 0 3 2 0 0 6 2 0 2 2 1 1 2 1 0 9 1 7

Name: ARTIMISE MEDICOSE		Account No: 8003860000	Net Payable Amount on or before Due Date (₹): 11050303.00
Address: SEC-52, -, GURUGRAM, HR, IND		Old Acct No: 12226H1UIND50019	Due Date: 20/06/2022
		K No: 2123054895X	Surcharge(₹): 160614.00
Circle: GURUGRAM CIRCLE-2	Cycle/Group: FARY/H1U	Issue Date: 09/06/2022	Gross Amount Payable After Du Date(₹): 11210917.00
Division: SUB URBAN GURUGRAM	Bill Month: JUN/2022	Bill No: 800385825491	
S/b Division: G26-South City		Net Payable Amount in words: One Crore Ten Lakh Fifty Thousand Three Hundred Three Rupees Only	

User Id:- reportus Generated On:- 10-06-2022 10:05:33

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)

Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
X0979594	01/05/2022	01/06/2022	31	0.00 ()	kWh	663983	688212.5	53	1211475	1211475	OK	OK	A
X0979594	01/05/2022	01/06/2022	31	2947. 00 (KVA)	kVAh	697407.5	723626	50	1310925	1310925	OK	OK	A

Arrears Outstanding for the Financial Year (₹)				Slab Calculation			Connection Details	
Description	Previous	Current	Total (₹)	Unit	Rate	Amount (₹)	Tariff Category	HTS-NDS
Charges	0.00	2930027.25	2930027.25	1310925	6.650	8717651.25	Flats in BS (DS)	1
F.S.A.	0.00	-2330562.95	-2330562.95	Total		8717651.25	Supply Voltage(kV)	11.00 kV
Surcharge	0.00	-119745.00	-119745.00	Applicable Tariff on Read Date:			Sanctioned Load (W/KVA)	4364.00/4849
E Duty	0.00	92955.00	92955.00				MMC(₹)	0.00
M. Tax	0.00	-55813.08	-55813.08				Cons. Security (₹)	4364000.01
Fixed Charges	0.00	-516861.45	-516861.45				DOC/DOE	15/09/2009/
Excess Credit	0.00	0.00	0.00				Meter Ownership/MDI Meter	Nigam meter/
Total Arrear	0.00	-0.23	-0.23				Meter Make/Meter Type	Secure Meter Ltd. /HT-MTR

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details				
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)				
Fixed Charges	504156.63	Current Cycle Charges	9527391.54	7383717.00				
Energy Charges	8717651.25	Arrears/Outstanding Dues	-0.23	800386070499				
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	7284467.74/- 5761556.01	12/05/2022				
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00	Mode of Payment	DD			
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00	Previous Consumption Pattern				
TDS/TCS	0.00/0.00	Other Non-Energy Charges	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status
Excess Load Surcharge	0.00	Net Payable Amount	11050303.00	Dec-2021	68034	700540	1494.4	OK
Capacitor Surcharge	0.00	On Or Before Due Date(₹)	160614.00	Jan-2022	6557	678362.4	1379.2	OK
Meter Service Charges	0.00	Surcharge(₹)	160614.00	Feb-2022	6367	656457.6	1286.4	OK
Line Service Charges	0.00	Gross Amount Payable After Due Date(₹)	11210917.00	Mar-2022	587360	612240	1488	OK
Capacitor Service Charges	0.00	Brief details of Sundry charges /allowances		Apr-2022	840060	883840	1943.2	OK
Star Rebate /Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00	112111211112111/558788/sr no 6		May-2022	929550	997465	2188	OK
Govt. Subsidy/Battery Rbt	0.00/0.00	SOP ()		In case of bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.				
Electricity Duty	121147.50	Rate Revision FC (Retro adjustment for tariff change sale circular no D-12/2021)		Date from which bill other than "OK" is being issued:		Reason:		
Municipal Tax / P Tax	184436.16	Rate Revision Mlx (Retro adjustment for tariff change sale circular no D-12/2021)		16 Jan Addition of Rate Return Arrear				
Total Current Cycle Charges (₹)	9527391.54							

DD to be drawn in favour of SDO G26-South City, DHBVN, GURUGRAM

Important information for consumers:
 Payment of this bill can be made online by logging on the Website: www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.
 This Bill be considered as a notice under section 56 of The Electricity Act 2008. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 7 days of due date.

Address and Telephone Number(s) of the authorities relating to consumers grievances		
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the	
Assistant General Manager Operation - G26-South City	Consumer Grievance Redressal Forum	Ombudsman
		For all type of complaints call at: 18001804334 (Toll Free)

Reading Date - 08.05.22 to 06.06.22
 Payable Amount - 11050303 /
 Due date - 20.06.22
 Rainish

Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
X0979504	01/06/2022	01/07/2022	30	0.00 ()	kWh	688212.5	716321.5	50	1405450	1405450	OK	OK	A
X0979504	01/06/2022	01/07/2022	30	3119.00 (KVA)	KVAh	723626	753762	50	1506800	1506800	OK	OK	A

Arrears Outstanding for the Financial Year (₹)				Slab Calculation			Connection Details	
Description	Previous	Current	Total (₹)	Unit	Rate	Amount (₹)	Tariff Category	HTS-NO
SOP Charges	0.00	2870861.71	2870861.71	1506800	6.650	10020220.00	Flats in BS (DS)	
F.S.R.	0.00	-2330562.95	-2330562.95	Total		10020220.00	Supply Voltage(kV)	11.00
Surcharge	0.00	-119745.00	-119745.00	Applicable Tariff on Read Date:			Sanctioned Load (kW/KVA)	4384.00/4843
E. Duty	0.00	121147.50	121147.50				MMC(₹)	0.00
Tax	0.00	-4257.84	-4257.84				Cons. Security (₹)	43640.00
Kind Charges	0.00	-537443.38	-537443.38				DOC/DOE	15/09/2009
Excess Credit	0.00	0.00	0.00				Meter Ownership/MDI Meter	Nigam meter
Total Arrear	0.00	0.04	0.04				Meter Make/Meter Type	Secure Meter Ltd. HTS-MTR

Details of Charges for Current Cycle			Details of Amount Payable		Last Payment Details				
Description	Amount (₹)	Description	Amount (₹)	Amount (₹)	Receipt No	5525151			
Fixed Charges	-789124.64	Current Cycle Charges	11166076.53		800386042415				
Energy Charges	10020220.00	Arrears/Outstanding Dues	0.04		Receipt Date	17/06/2022			
MMC/PC for Reconnection	0.00	Sundry Charges/Allowances	0.00		Mode of Payment	DL			
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00		Previous Consumption Pattern				
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00		Bill month	Units (KWH)	Units (KVAH)	MDI	Status
LDST/CC	0.00/0.00	Other Non-Energy Charges	0.00		Jan-2022	655720	678362.4	1379.2	OK
Excess Load Surcharge	0.00	Not Payable Amount	11166077.00		Feb-2022	636760	656467.6	1286.4	OK
Capacity Surcharge	0.00	On Or Before Due Date(₹)	160387.00		Mar-2022	587360	612240	1488	OK
Meter Service Charges	0.00	Surcharge(₹)			Apr-2022	840060	883840	1943.2	OK
Line Service Charges	0.00	Gross Amount Payable After Due Date(₹)	11326464.00		May-2022	929550	997465	2188	OK
Capacity Service Charges	0.00	Brief details of Sundry charges/allowances			Jun-2022	1211475	1310925	2947	OK
Solar Rebate/Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00				In case of bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.				
Govt. Subsidy/Battery Rbt	0.00/0.00				Date from which bill other than "OK" is being issued				
Leakage Duty	140545.00				Reason.				
Municipal Tax/P.Tax	216186.89								
Total Current Cycle	11166076.53								

DD to be drawn in favour of SDO G26-South City, DHBVN, GURUGRAM

Important Information for consumers:
 Payment of this bill can be made online by logging on the Website: www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM
 This Bill is considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date.

Address and Telephone Number(s) of the authorities relating to consumers grievances	For all type of complaints call at:
Consumer Grievance Redressal Forum HETRI HOUSE, GURUGRAM	18001804334 (Toll Free)
Ombudsman HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID: eo@nic.in Contact No. - +91(172)2572299 WhatsApp No -	1800 180 2124 (Vigilance Toll Free)

Reading Date - 06.06.22 to 05.07.22
 Payable Amount - 11166077/-
 Due Date 15/7/22 Reason
 Only
 Receiving Back Side ->
 0.22
 Kashi

MCO is shown in case of multiple MCO in one billing cycle		Meter Reading		M.F.		Consumed Units		Billed Units		Bill Base		Read Rank		Mr. Sta	
Old	New	M.F.	Consumed Units	Billed Units	Bill Base	Read Rank	Mr. Sta								
710321.0	740002.6	50	1527050	1527050	OK	OK	A								
763702	760241	50	1823950	1823950	OK	OK	A								

Arrears Outstanding for the Financial Year (₹)			
Description	Previous	Current	Total (₹)
SOP Charges	0.00	2534745.00	2534745.00
F.S.A.	0.00	-2330582.95	-2330582.95
Surcharge	0.00	-119745.00	-119745.00
E. Duty	0.00	140545.00	140545.00
M. Tax	0.00	27492.89	27492.89
Fixed Charges	0.00	-252475.37	-252475.37
Excess Credit	0.00	0.00	0.00
Total Arrear	0.00	-0.43	-0.43

Slab Calculation		
Unit	Rate	Amount (₹)
1823950	6.650	10799267.50
Total		10799267.50

Applicable Tariff on Read Date:

Connection Details	
Tariff Category	HTS-NDS
Flats in BS (DS)	11.00 KV
Supply Voltage (KV)	438A 00/42A
Sanctioned Load (KW/KVA)	0.00
MMC (₹)	438A000.0
Cons. Security (₹)	15/09/2005
DOC/DOE	Higam memo
Meter Ownership/MDI Meter	Secura Meter Ltd. / HT
Meter Make/Meter Type	MT

Details of Charges for Current Cycle		Details of Amount Payable	
Description	Amount (₹)	Description	Amount (₹)
Fixed Charges	815428.79	Current Cycle Charges	11999695.22
Energy Charges	10799267.50	Arrears/Outstanding Dues	-0.43
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	0.00/0.00
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00
TDS/TCs	0.00/0.00	Other Non-Energy Charges	0.00
Excess Load Surcharge	0.00	Net Payable Amount	11999695.00
Capacitor Surcharge	0.00	On Or Before Due Date (₹)	171700.00
Meter Service Charges	0.00	Surcharge (₹)	171700.00
Line Service Charges	0.00	Gross Amount Payable After Due Date (₹)	12171395.00
Capacitor Service Charges	0.00		
Solar Rebate /Prepaid			
Rebate/Gaushala Rebate	0.00/0.00/0.00	Brief details of Sundry charges /allowances	
Govt. Subsidy/Battery Rbt	0.00/0.00	<p align="center">RECEIPT OF DD HESI-GURUGRAM South City Sub Div (G-26)</p>	
Electricity Duty	152705.00		
Municipal Tax / P Tax	232293.93		
Total Current Cycle Charges (₹)	11999695.22		

Last Payment Details	
Amount (₹)	11166077.1
Receipt No	8003860414
Receipt Date	12/07/20
Mode of Payment	

Previous Consumption Pattern				
Bill month	Units (KWH)	Units (KVAH)	MDI	Status
Feb-2022	638760	858457.6	1288.4	OK
Mar-2022	587380	612240	1488	OK
Apr-2022	840060	883840	1943.2	OK
May-2022	929550	897465	2188	OK
Jun-2022	1211475	1310925	2947	OK
Jul-2022	1405450	1506800	3119	OK

Date from which bill other than "OK" is being issued: Reason:

DD to be drawn in favour of SDO, South City, Distt. Gurugram Amount 11999695.22

Payment of this bill can be made online by logging on the Website: www.dhbn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.

This bill is considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date.

Address and Telephone Number(s) of the authorities relating to consumers grievances		
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the	
	Consumer Grievance Redressal Forum	Ombudsman
Assistant General Manager Operation - G26-South City	HETRI HOUSE, GURUGRAM	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : eo@nlc.in Contact No. - +91(172)2572299 WhatsApp No:-
		For all type of complaints call at: 18001804334 (Toll Free) 1800 180 2124 (Vigilance Toll Free)

Reading Date 5.07.22 to 06.08.22
 Payable Amount - 11999695
 Due Date - 22.8.22

Rasmita
 [Signature]

Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Mark	Mtr. Sta.
	Old	New				Old	New						
X0979594	01/07/2022	01/08/2022	31	0.00	kWh	710321.0	740002.0	50	1527050	1527050	OK	OK	A
X0979594	01/07/2022	01/08/2022	31	3000.00 (KVA)	KVAh	753702	700241	50	1823950	1823950	OK	OK	A

Arrears Outstanding for the Financial Year (₹)			
Description	Previous	Current	Total (₹)
SOP Charges	0.00	2534745.00	2534745.00
F.S.A.	0.00	-2330502.95	-2330502.95
Surcharge	0.00	-119745.00	-119745.00
E. Duty	0.00	140545.00	140545.00
M. Tax	0.00	27492.89	27492.89
Fixed Charges	0.00	-252475.37	-252475.37
Excess Credit	0.00	0.00	0.00
Total Arrear	0.00	-0.43	-0.43

Slab Calculation		
Unit	Rate	Amount (₹)
1823950	0.650	10799207.50
Total		10799207.50

Connection Details	
Tariff Category	HTS-HDS
Flats in BS (DS)	
Supply Voltage(kV)	11.00 kV
Sanctioned Load (kW/KVA)	4284.00/4284
MMC(₹)	0.00
Cons. Security (₹)	4284000.00
DOC/DOE	15092000
Meter Ownership/MDI Meter	Nigam meter
Meter Make/Meter Type	Secura Meter Ltd. MTR

Details of Charges for Current Cycle		Details of Amount Payable		Last Payment Details					
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)	11166077.00				
Fixed Charges	815428.79	Current Cycle Charges	11999695.22	Receipt No	80038604149				
Energy Charges	10799267.50	Arrears/Outstanding Dues	-0.43	Receipt Date	12/07/2022				
MMC/FC for Reconnection	0.00	Sundry Charges/Allowances	0.00/0.00	Mode of Payment	C				
Amount to cover MMC	0.00	Provisional Adjustment/BR Adj.	0.00	Previous Consumption Pattern					
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status	
TDS/TCS	0.00/0.00	Other Non-Energy Charges	0.00	Feb-2022	636760	658457.8	1288.4	OK	
Excess Load Surcharge	0.00	Net Payable Amount	11999695.00	Mar-2022	587380	612240	1488	OK	
Capacitor Surcharge	0.00	On Or Before Due Date(₹)	171700.00	Apr-2022	840060	883840	1943.2	OK	
Meter Service Charges	0.00	Surcharge(₹)	171700.00	May-2022	929550	897465	2188	OK	
Line Service Charges	0.00	Gross Amount Payable After Due Date(₹)	12171395.00	Jun-2022	1211475	1310925	2947	OK	
Capacitor Service Charges	0.00	Brief details of Sundry charges/allowances		Jul-2022	1405450	1506800	3119	OK	
Solar Rebate /Prepaid Rebate/Gaushala Rebate	0.00/0.00/0.00	<p align="center">RECEIPT OF DD HESL-GURUGRAM South City Sub Div (G-26) Amount: 11999695</p>		Date from which bill other than "OK" is being issued:		Reason:			
Govt. Subsidy/Battery Rbt	0.00/0.00								
Electricity Duty	152705.00								
Municipal Tax / P Tax	232293.93								
Total Current Cycle Charges (₹)	11999695.22								

DD to be drawn in favour of South City Sub Div, Gurugram
 Signature: [Signature] Date: 09/08/22

Payment of this bill can be made online by logging on the Website: www.dhbn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.
 This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date

Address and Telephone Number(s) of the authorities relating to consumers grievances		
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the	For all type of complaints call at:
Assistant General Manager Operation - G26-South City	Consumer Grievance Redressal Forum	18001804334 (Toll Free)
	HETRI HOUSE, GURUGRAM	1800 180 2124 (Vigilance Toll Free)
	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : eo@nic.in Contact No. - +91(172)2572299 WhatsApp No:-	

Reading Date 5.07.22 to 06.08.22
 Payable Amount - 11999695
 Due Date - 22.8.22

Page 1 of 1
 Rasigh
 [Signature]

8003860000114815221509202211645259

Account No: 80038600

Name: ARTIMISE MEDICOSE

Address: SEC-52, GURUGRAM, HR, IND

Account No: 8003860000

Old Acct No: 12226H1UIND60019

K No: 2123054895X

Net Payable Amount on or before Due Date (₹): 11481522 ✓

Due Date: 15/09/2022 ✓

Surcharge(₹): 163737

Gross Amount Payable After Due Date(₹): 11645259

Circle: GURUGRAM CIRCLE-2

Cycle/Group: TAQQ/H1U

Division: SUB URBAN GURUGRAM

Bill Month: SEP/2022

Issue Date: 05/09/2022

Bill No: 800382888929

Sub Division: G26-South City

Net Payable Amount In words: One Crore Fourteen Lakh Eighty One Thousand Five Hundred Twenty Two Rupees Only.

Generated On: 08-09-2022 12:48:07

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)

Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.P.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	M St
	Old	New				Old	New						
X0979594	01/08/2022	01/09/2022	31	3101(K VA)	KWh	748862.50	776294	50	1471575	1471575	OK	OK	A
X0979594	01/08/2022	01/09/2022	31	3101(K VA)	KVAh	786241	817208.5	50	1548375	1548375	OK	OK	A

Arrears Outstanding for the Financial Year (₹)

Description	Previous	Current	Total (₹)
SOP Charges	0	2480174.03	2480174.03
F.S.A	0	-2330562.95	-2330562.95
Surcharge	0	-119745	-119745
E. Duty	0	152705	152705
M. Tax	0	43599.93	43599.93
Fixed Charges	0	-226171.22	-226171.22
Excess Credit	0	0	0
Total Arrear	0	-0.21	-0.21

Slab Calculation

Unit	Rate	Amount (₹)
1548375	6.65	10296693.75
Total		10296693.75

Connection Details

Tariff Category	HTS-ND
Flats in BS (DS)	1
Supply Voltage(kV)	11.00 kV
Sanctioned Load (kW/KVA)	4364.00/4364
MMC(₹)	
Cons. Security (₹)	4364000.00
DOC/DOE	15/09/2009/
Meter Ownership/MDI Meter	Nigam meter/
Meter Make/Meter Type	Secure Meter Ltd. /HT MTR

Applicable Tariff on Read Date:

Details of Charges for Current Cycle

Description	Amount (₹)
Fixed Charges	815428.79
Energy Charges	10296693.75
MMC/FC for Reconnection	0
Amount to cover MMC	0
Fuel Surcharge Adjustment	0
TDS/TCS	0/0
Excess Load Surcharge	0
Capacitor Surcharge	0
Meter Service Charges	0
Line Service Charges	0
Capacitor Service Charges	0
Solar Rebate /Prepaid Rebate/Gaushala Rebate	0/0/0
Govt. Subsidy/Battery Rbt	0/0
Electricity Duty	147157.50
Municipal Tax / P Tax	222242.45
Total Current Cycle Charges (₹)	11481522.49

Details of Amount Payable

Description	Amount (₹)
Current Cycle Charges	11481522.49
Arrears/Outstanding Dues	-0.21
Sundry Charges/Allowances	0.00/0.00
Provisional Adjustment/BR Adj.	0
LPS Adjustment	0.00
Other Non-Energy Charges	0
Net Payable Amount On Or Before Due Date(₹)	11481522
Surcharge(₹)	163737
Gross Amount Payable After Due Date(₹)	11645259

Last Payment Details

Amount(₹)	11999695
Receipt No	800386054586
Receipt Date	20/08/2022
Mode of Payment	DD

Previous Consumption Pattern

Bill month	Units (KWH)	Units (KVAH)	MDI	Status
Mar-2022	587360	612240	37.20	OK
Apr-2022	840060	883840	48.58	OK
May-2022	929550	997465	43.76	OK
Jun-2022	1211475	1310925	58.94	OK
Jul-2022	1405450	1506800	62.38	OK
Aug-2022	1527050	1623950	61.60	OK

Date from which bill other than "OK" is being issued: Reason:

DD to be drawn in favour of

SDO G26-South City, DHBVN, GURUGRAM

Important information for consumers:

Payment of this bill can be made online by logging on the Website: www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.

This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date

Address and Telephone Number(s) of the authorities relating to consumers grievances

Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		For all type of complaints call at:
Assistant General Manager Operation - G26-South City	Consumer Grievance Redressal Forum	Ombudsman	18001804334 (Toll Free)
	HETRI HOUSE, GURUGRAM	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : eo@nlc.in Contact No. - +91(172)2572299 WhatsApp No:-	1800 180 2124 (Vigilance Toll Free)

Reading Date - 06.08.22 to 07.09.22

Payable Amount - 114 81522 /

Due Date - 15.09.22

Raxmal

LT_BIL / 06-09-2022 12:48:07 /

ANNEXURE - VI

COPY OF AGREEMENT FOR DISPOSAL OF SOLID WASTE

AUTHORIZATION LETTER

A Concession Agreement for Integrated Solid Waste Management (collection, transportation, processing and disposal) for Faridabad- Gurugram cluster was signed between State Government, Haryana, Municipal Corporation, Gurugram, Municipal Corporation, Faridabad & M/s Ecogreen Energy Faridabad- Gurgaon Private Ltd ("Concessionaire") on 14.08.2017.

This is to certify that M/s. Ecogreen Energy Gurgaon Faridabad Pvt. Ltd is the authorized waste collector for door to door collection & transportation of Municipal Solid Waste for residential including colonies, HUDA sectors, village areas etc., commercial, institutional, hotels, hostels, hospitals, shopping complexes, office complexes, govt. offices, industrial or any other waste generators etc. within the limits of Municipal Corporation, Gurugram.

This authorization is valid for the entire duration of the Concession i.e upto 13.08.2039 for Integrated Solid Waste Management Project for Faridabad Gurugram Cluster.

Dated : 05.01.2018

(V. Umashankar)
Commissioner,
Municipal Corporation,
Gurugram.

Endst. No.: J.C-IV/MCG/2018/1006

Dated: 8/01/2018

A copy of the above is forwarded to the following for information and necessary action please.

1. Deputy Commissioner, Gurugram
2. Administrator, HUDA, Gurugram
3. Additional Commissioner, Municipal Corporation, Gurugram.
4. All Joint Commissioners, Municipal Corporation, Gurugram.
5. Executive Engineer SWM, Municipal Corporation, Gurugram
6. Executive Engineer (S), Municipal Corporation, Gurugram
7. All Assistant Engineer (S), Municipal Corporation, Gurugram
8. M/s Ecogreen Energy Gurgaon Faridabad Pvt. Ltd., 160, Tatvam Villas, Sector-48, Gurugram

Joint Commissioner-IV,
for Commissioner,
Municipal Corporation,
Gurugram.

Ref. No. EEGFPL/Zone-4/Ward-29/WGGN0002075

MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding (MOU) is mutually agreed and executed at Gurugram on this **5th day of April 2022** as per rights conferred upon by Municipal Corporation of Gurugram hereinafter, referred to as 'MCG') to Ecogreen Energy Gurgaon Faridabad Private Limited (hereinafter, referred to as 'Company') as mentioned in Concessionaire Agreement dated 14.08.2017. The details are mentioned herein below:

S. NO.	CLAUSE	DETAILS
1.	Name & Address of the Company	Ecogreen Energy Gurgaon Faridabad Private Limited (EEGFPL) Unit No. 228-236, 2 nd Floor, Tower A, Spaze I-Tech park, Sector-49, Sohna Road, Gurugram, Haryana-122018
2.	Name and Address of Waste Generator: Premises Details (BWG's)	ARTEMIS MEDICARE SERVICES LIMITED Sec-51, Gurugram, Haryana
3.	Service(s) Offered by Company	Single point collection and transportation of Municipal Solid Waste.
4.	Responsibilities of Customer	The waste generator shall provide segregated waste i.e. both dry & wet separately at the designated point(s) mentioned by customer. Waste generator has to also follow SWM 2016 rules along with instruction & guidelines issued by MCG in past & in future regarding municipal solid waste management.
5.	User Charges Payable	<ul style="list-style-type: none"> Total Applicable User Charges: ₹ 5,000/ per month Net Payable Amount including GST @ of 18%: ₹ 5,900/ month Due Date: 7th day of every month or within 7 days from the date of bill/invoice submission by Company. (Details in Annexure 1 – Data Sheet) <p>If the waste generator fails to make the payment within the due date, the Company shall have the right to stop the services immediately till realisation of the pending payments</p> <p>Note: - MCG has notified user charges for different categories of waste generators. The rates are subject to the revision(s) as per the MCG's further amendments and or modifications, notifications, order etc. if any. In case of any change in the rates, then Company shall have the right to revise the rate and also entitled to recover the difference between the paid and revised user charges from Waste Generator from the date of notification/order/modifications/amendments etc. issued by MCG</p>
6.	Billing Details	Billing cycle shall be maintained and honoured on monthly basis. The amount as mentioned in clause 5 shall be paid on or before due date i.e. within 07 days of the bill/invoice raised
7.	Mode of Payment	Cheque / RTGS / NEFT / Demand Draft / Online Payment / Paytm Business account (Strictly, no other mode of payment is authorised by the Company or is being accepted it). NOTE: The company do not accept the cash. (Account details are mentioned in Annexure 2)





8.	Force Majeure	Neither party shall be liable for any failure or delay in performance of its obligations under this Agreement arising out of or caused, directly or indirectly, by circumstances beyond its reasonable control, including, without limitation, acts of God; earthquakes; fires; floods; wars; civil or military disturbances; acts of terrorism; sabotage; strikes; epidemics; riots; epidemic and any such circumstances beyond its reasonable control as may cause interruption; labour disputes; acts of civil or military authority; governmental actions, inability to obtain labour, equipment or transportation; provided, however, that in the event of a failure or delay. The Company shall its best efforts to restore the effects of any such failure or delay. In the event of non-fulfilment of any term of this MoU due to any reason mentioned above or otherwise the Company shall not be held responsible for any loss or consequential loss
9.	Confidentiality	Each party shall maintain the confidentiality of this MOU. The Parties (i.e. the Company and the Bulk Waste Generator) have agreed not to disclose or part away with any information without the prior knowledge and consent of the other Party at any time unless mandated by applicable laws.
10.	Amendment	Any changes, modifications, revisions or amendments to this MOU shall be valid and binding on the Parties only if it is made in writing and signed by duly authorized representatives of each Party
11.	Governing Law and Jurisdiction	This MoU shall be governed and construed in accordance with the laws of India. Except as provided otherwise, the courts at Gurugram, Haryana, India shall have exclusive jurisdiction to resolve the issues arising out of this MoU
12.	Validity	This MOU is valid till 31st Mar 2025 . All amendments in the Concession agreement made by any party in any manner shall be vice versa effective and applicable upon this MOU. In case if any waste generator fails to make the payment as mentioned in Clause no.5, the Company shall have the right to terminate this MOU
13.	Notices	All notices and other communications shall be sent to the address of each Party as set forth at the beginning of this MOU

Note:-

It is hereby declared by both the parties to this MoU that, that the Company i.e. Ecogreen Energy Gurgaon Faridabad Private Limited is the only designated and duly authorized entity for the collection, transportation, processing of Municipal Solid Waste within the Municipal Limits of Gurugram District. Dumping of Municipal Solid Waste in any unspecified areas or handover of such Municipal Solid Waste to any other person/entity, is illegal & leads to littering which is in direct violation of Solid Waste Management Rules, 2016 and orders of the Hon'ble National Green Tribunal.

For and on Behalf of (Customer)
Artemis Medicare Services Limited


Authorized Signatory

For and on behalf of (Company)
Ecogreen Energy Gurgaon Faridabad Private Limited


Authorized Signatory

Vikas

Star

Prithvi

ENCLOSED:

- I. Annexure 1- DATA SHEET
- II. Annexure 2 - ECOGREEN PAYMENT DETAILS
- III. Annexure 3 - DECLARATION FROM CUSTOMER FOR NOT RELEASING PAYMENT IN CASH AGAINST ECOGREEN INVOICES



Annexure 1 – DATA SHEET

(To be filled in as per discussion with Bulk Waste Generator)

Customer Details -


Customer Name	ARTEMIS MEDICARE SERVICES LIMITED
Address	Sec-51, Gurugram, Haryana
Ward Number	29
Zone	4
Mobile Number	9716837058
Email ID for receiving Ecogreen Invoices	linenroom@artemishospitals.com , housekeeping@artemishospitals.com
GST Number	06AAFCA0130M1Z1
MOU Valid Till	01-04-2022 TO 31-03-2025

MOU Type	<input type="checkbox"/> New		<input checked="" type="checkbox"/> Renewal	
Date of start of work by Ecogreen	DD	MM	YY	
	15	04	2019	
Total area (Square meters/Square Feet)	NA			
Number of units	1			
User charges applicable	5,000			
Total applicable user charges payable (Including 18 % GST as applicable)	5,000 + 18 % GST (900) = 5,900			

Sain

W

Annexure – 2 ECOGREEN PAYMENT DETAILS

Company Name	Ecogreen Energy Gurgaon Faridabad Private Limited
Corporate Office Address	Unit No. 228-236, 2nd Floor, Tower A, Spaze I-Tech Park Sector-49, Sohna Road, Gurgaon, Haryana-122018
Particulars of Bank Account for Cheque & DD	
Name of the Company	Ecogreen Energy Gurgaon Faridabad Private Limited
Bank Account Name	Ecogreen Energy Gurgaon Faridabad Escrow Account
Name of Bank	Yes Bank
Name of Bank Branch	Gurgaon Fortune Global
City/Place	Gurgaon
Account Number	000266200000513
Account type	Escrow Account
IFSC code	YESB0000002
Online Payment	https://payment.ecogreenwte.com/
Paytm Business Account Number	8448893242
Paytm Business Account QR Code	

Jain

W

Annexure 3

DECLARATION FROM CUSTOMER FOR NOT RELEASING PAYMENT IN CASH AGAINST ECOGREEN INVOICES

Background:

Dear Customer,

This is to bring into your notice that there have been many instances in past wherein payment for Ecogreen invoices has been collected in cash by unauthorized persons /persons not related to Ecogreen by impersonating employees/representatives of Ecogreen. Due to this these payments are never deposited into Ecogreen account that led to showing outstanding against the name of the Customers. Due to the unnecessary inconvenience caused to our customers, Ecogreen has decided to stop collecting bill payment in cash.

In your own interest, we request you to kindly release payment to us through cheque or various electronic transfer modes as mentioned in annexure 2 of this MOU copy.

To be used by Customers

We **_ARTEMIS MEDICARE SERVICES LIMITED_** having address at **_Sec-51, Gurugram, Haryana_** agree to the terms and conditions of the MOU dated **_05-04-2022_** declare that we will not release any payment to Ecogreen Energy Gurgaon Faridabad Private Limited in cash for bills submitted by Ecogreen. I shall be fully responsible for and liable to pay to the Ecogreen any amount paid in cash by me, whenever demanded by the Company.

I further declare that I shall have no objection if the company makes any claim against me on account of cash paid by me against the invoices of Ecogreen.

I have read this declaration and have understood the contents of it to my satisfaction.

For and on Behalf of (Customer)

Authorized Signatory



ANNEXURE -VII

COPY OF AGREEMENT FOR DISPOSAL OF E-WASTE

SERVICE AGREEMENT

This Service Agreement ("Agreement") is entered into on this 1st day of **January**, 2022 at Gurgaon, Haryana.

By and between

M/S Bluenvir, having its Registered Office at **Plot No.81, HSIIDC, Rai, Sonipat, Haryana--131029** and its Facility at **Plot No.81, HSIIDC, Rai, Sonipat, Haryana--131029** by its authorized signatory, Ms. Anurag singh designated as General Manager (hereinafter referred to as "**First Party**" , represented which expression shall unless contrary to and or repugnant to the context means and includes its successors, representatives and permitted assigns) to enter into and sign this Agreement for and on behalf of the First Party.

AND

M/s Artemis Medicare Services Limited, is having its Registered Office at ~~414/1, 4th Floor, DDA Commercial Complex, District Center, New Delhi - 110058~~ ^{Plot No. 14, Sector - 20 Dwarka, New Delhi - 110075} and running a hospital in name of "Artemis Hospital" at Sector-51, Gurgaon - 122001, Haryana represented by its authorized signatory, Ms. Shilpa Budhia, Company Secretary (hereinafter referred to as "**Second Party**" or "**Artemis**", which expression shall unless contrary to and or repugnant to the context means and includes its successors, representatives and permitted assigns) to enter into and sign this Agreement for and on behalf of the Second Party.

WHEREAS:

The First Party has represented that it is registered as approved Electronic Waste (hereinafter referred to as 'E-waste') Dismantler by the State Pollution Control Board (SPCB & MOEF) Under act 1974, (25 of 1974) and air act 1981(21 of 1981) of the E- Waste (Management & Handling) Rules 2011 and is operating a facility for the collection, reception, transportation, treatment and disposal of E-waste in Haryana. A copy of the approval referred herein is attached herewith.

The Second Party, in compliance of the E-Waste Management & Handling Rules 2011, desires to have services for disposal of their E-waste except liquid waste for which the First Party has a facility authorized by HSPCB and MOEF (Ministry of Environment & Forest) and hereby engages First Party on non-exclusive basis to provide the services for collection, proper transportation, segregation and disposal of E-waste generated at its Hospital.


(Both **First Party** and **Second Party** shall be collectively referred to as Parties and individually as Party.)

Definitions:

Electronic Waste (E-waste) - The Term E-waste will refer to the below mentioned items:

- 1. Large household appliances
- 2. Small household appliances
- 3. IT and telecommunications equipment as mentioned in Schedule 1 of MOEF notification S.O.1035 (E) rules
- 4. Consumer equipment
- 5. Electrical and electronic tools (with exception of large-scale stationary industrial tools)
- 6. Toys, leisure and sports equipment
- 7. Medical devices (with the exception of all implanted and infected products)
- 8. Monitoring and control instruments
- 9. Automatic dispensers
- 10. U.P.S., U.P.S Batteries, Cable Wires and A.C. Plant residuals


NOW THIS AGREEMENT ("Agreement") witnesses the following terms and conditions to be complied with and the roles to be performed by both the parties to the Agreement.



1. The First Party will require the designated Second Party staff representative to other related statutory documents incorporating the required data, in acknowledgement of E-waste handed over.
2. Upon intimation from the Second Party the First Party from within 15 working days, will arrange for collection, proper transportation, segregation and disposal of E-waste generated at its specified facility as per E-Waste (Management & Handling) Rules 2011 or as per any other applicable statutory provisions. First Party here by agreed to undertake deformation of Hard disks of Desktops, Laptops and Servers etc. as part of First Party's internal information Security policy, before lifting related E-waste from the Facility.
3. Second Party shall be responsible for compliance of E-Waste Management & Handling Rule, 2011. The First Party will be solely responsible for proper disposal of the E-waste collected from all the office locations of the Second Party.
4. First Party shall pay Second Party certain charges, as mentioned in **Annexure-1**, towards sale of E-Waste by the Second Party to the First Party. The Second Party shall have the sole right to disposing E-waste **as per Annexure-1**.
5. Subject to termination Clause mentioned hereinafter, this Agreement shall be effective from **1st January, 2022** and shall remain valid upto **31st December, 2022**. This Agreement may be extended for a further period on mutual consent of both the Parties in writing.
6. This Agreement may be terminated by either party, without assigning any cause, on giving a 30 days written notice to the other party.
7. COMPLIANCE WITH LAWS: First Party with respect to E-waste collected under this Agreement, shall comply, at its own expenses, with all applicable laws, ordinances, regulations, rules and codes (foreign and domestic, including international treaties and conventions) including the identification and procurement of required permits, certificates, licenses, insurance, approvals and inspections (all collectively referred to in this Agreement as "applicable laws") in performance under this Agreement. First Party further agrees that:
 - a) It shall exercise every reasonable safety precaution and best management practices, whether or not required by law, in the performance of the service under this Agreement;
 - b) First Party shall comply with all applicable laws, rules and regulations including with respect to labour / employment related statutes and shall indemnify and hold Second Party harmless in this regard;
 - c) After completion of recycling, reclamation and treatment of each batch of E-waste picked up from Second Party, First Party would provide certificates on the proof of completion of recycling viz destruction certificate within 45 days of the collection of E-waste.
8. First Party hereby agreed that this commercial offer (as per **Annexure-1**) for disposal of E-Waste would be extended to locations of Second Party as mentioned in **Annexure-2**.
9. DISPUTE RESOLUTION: Any dispute or breach arising out of or in relation to this Agreement shall be referred to arbitration to be conducted by a sole arbitrator appointed in accordance with the Arbitration and Conciliation Act, 1996. The Venue of arbitration shall be New Delhi. The decision of the arbitration shall be binding on both the parties.

Subject to the arbitration provisions herein, Courts in Gurgaon (Haryana) shall have the exclusive jurisdiction on the matters arising out of or in connection with this Agreement.

10. CONFIDENTIALITY: The existence and all terms and conditions of this Agreement are confidential to the parties, and shall not be disclosed to any other entity or individual, without the other party's written consent, save and except to their respective accountants, lawyers and financial advisors or as required by law. Further, both the Parties shall be under an obligation not to disclose any confidential information and/or proprietary information of the other Party without the



written approval of the other Party. First Party shall ensure that their staffs comply with all security instructions and policies of the Second Party.

- 11 **ROLES & RESPONSIBILITIES:** The details laid out in this Agreement notwithstanding the essence and spirit of this Agreement is an understanding between M/s Bluenvir and M/s Artemis Medicare Services Limited.
- 12 Any notice or other communication under or in connection with this agreement shall be in writing in the English language and shall be delivered personally or sent by way of courier/registered post or e-mail to the party due to receive the notice or communication at its address set out in this Agreement or such other address as either party may specify by notice in writing to other from time to time.

ADDRESSES FOR COMMUNICATION: Following are the addresses to which all notices/communication to be sent:

For First Party: M/S Bluenvir ADDRESS: Plot No.81, HSIIDC, Rai, Sonipat, Haryana-131029 Email: anurag@bluenvir.com	For Second Party: Head – Supply Chain M/s Artemis Medicare Services Limited ADDRESS: Artemis Hospital Sector-51, Gurgaon – 122001, Haryana.
---	---

13 **MISCELLANEOUS**

Force Majeure: Neither party shall be liable for damages for any delay or failure to perform its obligations here under, if such delay or failure is due to reasons beyond the control of the concerned party including without limitation, strikes, riots, wars, fires, epidemics, quarantine restrictions, unusually severe weather, earth quakes, explosions, acts of God or state or any public enemy or acts mandated by applicable laws, regulation or order, whether valid or invalid, of any Governmental body.

Amendments: This Agreement may be amended with mutual consent of the parties and such amendment shall be in writing only.

14 **RIGHT TO ASSIGN**

This Agreement shall not be assignable by the First Party, without the prior written consent of the Second Party. Any attempt by the First party to assign any of its rights or delegate any of its duties hereunder without the prior written consent of Second Party shall be null and void.

Accepted, signed and delivered by:


For M/S Bluenvir



By: Anurag Singh
Designation: General Manager

Accepted, signed and delivered by:

For Artemis Medicare Services Limited



By: Shilpa Budhia
Designation: Company Secretary

COMMERCIAL QUOTATION

Mixed, unsorted E-waste can be purchased @ Rs. 41/- KG (Inclusive of Taxes).

However, for Hazardous Scrap Disposal (CFL, Lights etc.) no charges shall be given by First Party.

Note: The above are standard rates, subject to negotiation depending upon volume, composition and frequency of material lifted.

Anurag




Annexure-2


LIST OF LOCATIONS

S. No.	Name	Address
1	Artemis Hospital	Sector-51, Gurgaon – 122001, Haryana
2	Daffodils	Dalal St, Block G, South City I, Sector 40, Gurugram, Haryana 122022



ANNEXURE -VIII

COPY OF AGREEMENT FOR DISPOSAL OF USED OIL



हरियाणा HARYANA

K 667907

THIS Agreement is made at Faridabad on this 14th day of October 2022

BY AND BETWEEN

Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd., a company incorporated and registered under the provisions of the Companies Act, 2013 and having its registered office at 370, S V P Road, Shop 8, Plot 384, Cigaretwala Bldg. Opp. CBI Prathna Samaj, Nr. Harkishandas Hospital, Mumbai (Maharashtra) (hereinafter referred to as GEPIL (Haryana) which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the FIRST PART

AND

M/s. ARTEMIS MEDICARE SERVICES LIMITED which is a Company / Partnership Firm / Proprietary Concern duly incorporated under the provisions of COMPANIES ACT 1956 (located at ARTEMIS HOSPITAL, SECTOR-51, GURGAON, HARYANA 122001) and having its registered office at PROT NO. 14, SECTOR-20, DWARKA, NEW DELHI-110057 (hereinafter referred to as The Client which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the SECOND PART.

Recitals

WHEREAS Haryana Environmental Management Society (HEMS), a society registered under the Societies Registration Act, 1860 having its registered office at SCO 45, 1st floor, Sector -31, HUDA Market, Gurgaon, Haryana acting as a nodal agency of the Government of Haryana has awarded the work to a Consortium of Members led by Gujarat Enviro Protection & Infrastructure Ltd. (GEPIL) for development and operation of a Hazardous Waste Management Facility (HWM Facility) at Village Pali, Near Pali-Mohabatabad Stone Crusher Zone, Faridabad, Haryana on the leasehold land as per Lease Agreement executed between HEMS and Municipal Corporation, Faridabad (MCF) on 19th April 2005.

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED for & on behalf of Client

AND WHEREAS the Consortium of Members led by GEPIL have formed a Special Purpose Vehicle ("SPV") called Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd. (GEPIL (Haryana)) to develop, operate and maintain the said Hazardous Waste Management Facility at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana through an Agreement executed between HEMS, GEPIL (Haryana) and GEPIL, Surat on 30th June 2005.

AND WHEREAS the Party of the First Part is inter alia engaged in the business activities of development, operations and maintenance of infrastructure projects for hazardous waste management as specified in Hazardous Waste (Management and Handling) Rules, 1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments (hereinafter referred to as "The Rules") and has been given authorization by Haryana State Pollution Control Board (HSPCB) to set up an Integrated Common Hazardous Waste Treatment, Storage & Disposal Facility (TSDF) at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the Second Part is generating hazardous waste and has approached the Party of the First Part for managing and disposing off its Hazardous Waste as per applicable rules since the Party of the First Part has set up the said facility at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the First Part has agreed to accept Hazardous Waste generated by the Party of the Second Part for collection, transportation, storage, treatment and disposal on the mutually agreed terms and conditions stated hereunder.

THIS DEED THEREFORE WITNESSES AS FOLLOWS:

1. DEFINITIONS AND INTERPRETATIONS

- 1.1 "TIME" shall be stated in Hours and shall mean Indian Standard Time.
- 1.2 "DAY" means a period of twelve (12) consecutive hours beginning at 08.00 hours and ending at 20.00 hours.
- 1.3 "WEEK" means a period of seven (7) consecutive days beginning from a day.
- 1.4 "MONTH" means a period beginning at 08.00 hours on the first day of Calendar Month and ending at 08.00 hours on the first day of succeeding Calendar Month.
- 1.5 "YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day.
- 1.6 "FINANCIAL YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day. It starts from 1st day of April month of the year and ends on 31st day of March month of next year.
- 1.7 "ACTIVE TERM" means the term during which GEPIL (Haryana) shall receive, transport, store, treat, recycle, recover and dispose of the hazardous waste at the TSDF site as per authorization granted by the HSPCB.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory



SIGNED for & on behalf of Client

- 1.8 "FORCE MAJEURE" means any event or circumstance or combination of events or circumstances beyond the reasonable control of either party (the "Affected Party") and such event or circumstance cannot by exercise of reasonable diligence be prevented or cause to be prevented; cannot, despite the adoption of reasonable precautions or alternative measures (where sufficient time to adopt such precautions or alternative measures before the occurrence of such event or circumstance is available) be prevented; and which materially and adversely affects such party's performance of its duties and obligations under this Agreement.
- 1.9 The headings of or title to the Clauses in this Agreement shall not be deemed to be a part thereof or be taken into consideration in the interpretation or construction thereof.
- 1.10 Words imparting the singular only also include the plural and vice versa where the context so requires.
- 1.11 "TSDF" means Treatment, Storage & Disposal Facility operated by GEPIL (Haryana) located at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana
- 1.12 HSPCB means Haryana State Pollution Control Board, CPCB means Central Pollution Control Board and MoEF means Ministry of Environment and Forests.
- 1.13 "Client" means a Company / Partnership Firm / Proprietary Concern / Co-operative Society, AOP etc which generates hazardous wastes as defined in the Hazardous Waste (Management & Handling Rules)1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments.

2. PERIOD OF AGREEMENT

- 2.1 The present Agreement shall remain in force for the Active Term or Five years from date of 11th April 2020. Agreement whichever is earlier unless terminated earlier due to any of the reasons mentioned in this Agreement.
- 2.2 GEPIL (Haryana) will issue a Registration Certificate valid for 5 years effective from 11th April 2020. The registration shall need to be renewed including execution of fresh Agreement by the Client at least three months before the expiry of the current Agreement.

3. TERMINATION OF AGREEMENT

- 3.1 Both the Parties hereto agree that the present Agreement shall automatically come to an end in any of the following eventualities:
- On expiry of Authorization granted to the Client and the same having not been renewed by the Client or of the same having not been granted by Haryana State Pollution Control Board (HSPCB).
 - On expiry of HEMS membership and the same having not been renewed by the Client or of the same having not been granted by HEMS.
- 3.2 This AGREEMENT can be terminated by the Client after giving a written Notice of at least 30 days to the other party. The provision relating to minimum charges shall be applicable, during the notice period in accordance with Clause 10.2.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory



SIGNED for & on behalf of Client

3.3 Both the Parties hereto further agree that in case of the present Agreement coming to an end owing to any of the aforesaid eventualities, it will be the sole responsibility of the Client to handle, treat and dispose off its Hazardous Waste in accordance with the relevant provisions of law.

4. **REGISTRATION**

4.1 The Client shall pay non refundable charges of ₹ 1000=00 (Rupees One Thousand Only) towards Registration every five years.

4.2 The Client shall pay non refundable charges of ₹ 8000=00 (Rupees Eight Thousand Only) towards Finger Printing Analysis of the waste to be conducted by GEPIL (Haryana) for waste characterization.

4.3 After having registered, if the registration is terminated within the validity period of the present Agreement because of any reason stated in this Agreement, then in that event, the registration can be revived on payment of non-refundable re-registration charges of ₹ 500/- (Rupees Five hundred only). Such re-registration shall be valid till the expiry of the last Registration Certificate.

4.4 The registration under this Agreement is not transferable in any manner whatsoever.

5. **TREATMENT & DISPOSAL CHARGES**

5.1 The Treatment and Disposal charges for various types of hazardous wastes are mentioned in Schedule I to this Agreement. The Treatment & Disposal Charges applicable under this Agreement for different types of wastes generated by the Client are as follows:

Sr. No.	Type of Wastes	Treatment and Disposal Charges (₹ Per MT)	Quantity (In MT)
1	ETP Sludge	14,522/-	3.80
2			
3			
4			
5			
6			
7			

(Attach sheets in case of more types of wastes)

5.2 GEPIL (Haryana) shall charge the Client towards treatment & disposal on the basis of weight to be done at the TSDF site. If the Weigh Bridge at the site is not working, it will be weighed at an outside Weigh Bridge approved by GEPIL (Haryana).

5.3 The rates specified in Schedule I to this Agreement are based on general characteristics of the specified type of waste. In case any waste of the Client that

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)
Authorized Signatory



SIGNED for & on behalf of Client

either does not fall under the mentioned categories or requires special type of treatment before or after disposal, the Client agrees to pay the rates for the same which shall be fixed on case to case basis depending upon the characteristics of the waste & treatment required in consultation with HEMS.

6. TRANSPORTATION CHARGES

- 6.1 The Client has requested GEPIL (Haryana) to provide NIL numbers of storage containers of NA capacity each to avoid frequent transportation. GEPIL (Haryana) has agreed to provide the said containers in consideration of which the client has agreed to pay ₹. NA (Rupees NA) as interest free security deposit to GEPIL (Haryana). The Client shall be responsible for the security and upkeep of as well as any damage caused to the container while it is lying at the premises of the Client.
- 6.2 M/s. GEPIL (Haryana) shall provide the fleet of waste transport vehicles of different capacities duly authorized by HSPCB. As per the requirements of the Client, lowest capacity vehicle for transporting its Hazardous Waste on full vehicle load basis to the TSDF Site shall be sent by GEPIL (Haryana) at the cost of the Client.
- 6.3 The Transportation Charges for transportation of waste from location of Client to the TSDF site are mentioned in Schedule II to this Agreement.
- 6.4 The Transportation Charges applicable under this Agreement at the current rates, excluding taxes, are ₹. (AS PER SCHEDULE -2) per km per MT Taxes, as applicable, are payable extra.

7. REVISION OF CHARGES

- 7.1 The Client covenants that various notified charges like Treatment & Disposal Charges, Transportation Charges etc and any other unforeseen charges under this Agreement for its Hazardous Waste shall be subject to revision and inclusion during the currency of this Agreement in consultation with HEMS, as and when such revision is called for due to any reason whatsoever. GEPIL (Haryana) shall inform the Client about such revisions in advance through a separate letter.
- 7.2 All Government, municipal, panchayat taxes, duties, levies, octroi, tolls, service tax etc., as applicable from time to time, related to transportation, treatment, storage, disposal and other services rendered under this Agreement shall be borne by the Client. In case the same are paid by GEPIL (Haryana), the Client shall reimburse the amount thereof to GEPIL (Haryana).
- 7.3 Service Tax or any other existing taxes as applicable presently on services related to disposal of hazardous waste have to be paid by the client.
- 7.4 All disposal charges are subject to annual upward revision effective From 1st April Every year at the rate of 4%.

8. OBLIGATIONS OF THE CLIENT

- 8.1 While entering into the present Agreement with GEPIL (Haryana), the Client shall submit the categories of Hazardous Waste along with the quantity and its desire to dispose off the same by GEPIL (Haryana). The said categories of Hazardous Waste shall be as per the parameters specified in the Schedules of Hazardous Waste (Management, Handling & Transboundary Movement) Rules 2016, as amended from time to time.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED for & on behalf of Client

- 8.2 The Client shall get the Authorization from HSPCB permitting the Client to send its Hazardous Waste to the TSDF Site for treatment and disposal and that it shall be the responsibility of the Client to get the same renewed from time to time, failing which GEPIL (Haryana) reserves its right to repudiate the present Agreement under intimation to HSPCB and HEMS.
- 8.3 The Client shall make all the proper, necessary and adequate arrangement for keeping production records and the Hazardous Waste generated from these processes. The Client shall provide relevant and correct information with respect to process, waste quantity and characteristics (physical & chemical), nature and toxicity of waste as and when asked for by GEPIL (Haryana). This information may be forwarded to HSPCB / CPCB / MoEF/ any other Statutory Authority, if asked for.
- 8.4 The Client shall be required to maintain the record of Hazardous Wastes generated, stored and sent for treatment and disposal to GEPIL (Haryana). The records so maintained shall be subject to cross check and physical verification by authorized representative of GEPIL (Haryana) through visit to Client's premises.
- 8.5 GEPIL (Haryana) reserves right to reject collection of the hazardous waste spilled over the ground and containers whose exteriors are soiled by spillages. The Client shall locate the storage facility in such a way so that the same shall be accessible to the waste transport vehicles of GEPIL (Haryana).

8.6 **Dispatch and Detention of Transport Vehicle**

- i. The Client is required to intimate GEPIL (Haryana) when it has minimum one vehicle load of waste to be lifted, through letter / Fax / Email to send waste transport vehicle at least five days in advance from the date of collection.
 - ii. On arrival of the same at the Client's site, the Client shall be responsible for loading its Hazardous Waste into the said waste transport vehicle within three hours of arrival at the Client's site counting from the time of reporting at the security gate of the Client.
 - iii. If the detention of the said waste transport vehicle at the Client's site exceeds the time limits stipulated in Schedule II to this Agreement, there shall be levied detention charges at the rates as mentioned in Schedule II to this Agreement. The Client may detain the vehicle for a maximum of six hours including time stipulated for loading.
 - iv. In case, for any reason, including detention for more than six hours, the vehicle is sent back to GEPIL (Haryana) without giving the waste even after having been requisitioned by the Client, the Client shall pay the transportation charges for the full capacity load of the vehicle.
- 8.7 Before the Hazardous Waste is loaded into the waste transport vehicle and dispatched to TSDF site, the Client shall ensure that the said waste is packed in a manner suitable for transportation and that the said packed waste withstands physical and climatic conditions and does not result in any kind of leakage, spillage and accident etc. causing adverse impact on health and environment.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory



SIGNED for & on behalf of Client

8.8 If and when an accident occurs while loading Hazardous Waste at the Client's site, the Client shall immediately report the same to HSPCB and other authorities as per the Rules and also to GEPIL (Haryana).

8.9 **Rejection of Waste**

- i. The Client agrees to maintain waste characteristics close to Finger Print Analysis Report of the waste (attached as Schedule III to this Agreement). In case of variation of over 5% in waste characteristics mentioned in the said Schedule, the Client covenants to pay the revised treatment and disposal charges determined for its specific waste type and characteristics failing which the Client shall accept the hazardous waste back at its own cost in accordance with Clause 8.9 (ii) and 8.9 (iii).
 - ii. The Client shall be required to accept Hazardous Waste back and bear the cost of return transportation of full vehicle load, if the same is rejected by GEPIL (Haryana) due to any of the following reasons:
 - a) The variation in waste characteristics is beyond 5%.
 - b) The wastes contain unacceptable wastes types as listed under Clause 9.2.
 - iii. If the Client fails to do so within 2 days of reporting the matter, its registration will be terminated with intimation to HEMS. In the event of waste rejection, the Client shall be totally responsible and liable for any consequence arising thereof and GEPIL (Haryana) reserves all rights to take any suitable actions under the law.
- 8.10 During wet period of monsoon season, Hazardous Waste may not be accepted at the TSDF Site. During this period Client is required to make a provision to store its Hazardous Waste for a minimum period of four months, as per the requirement of HSPCB.
- 8.11 GEPIL (Haryana) may request the Client, under intimation to HEMS, to provide any additional information, as may be required, for treatment and disposal of waste or as asked for by HSPCB / CPCB / MOEF / any other Statutory Authority. The Client shall send the said information to GEPIL (Haryana) at least two days before the scheduled time, if specified by the information seeking authority else within two weeks time.
- 8.12 The Client shall comply with the provisions of Environment (Protection) Act, 1986 and the Rules as amended from time to time as also with the conditions of the present Agreement and that any breach committed thereof shall render the Client not eligible for disposing of its Hazardous Waste in TSDF site.
- 8.13 The Client shall not claim any right, interest or privilege in or in relation / connection with Hazardous Waste accepted at the TSDF site.
- 8.14 In case of any change in constitution of firm or company or proprietary concern, company name, products or quality and/or production rate of products or waste quantity or characteristics, the Client shall intimate GEPIL (Haryana) by written notification by registered letter / speed post / courier prior to proposed date of change and get its waste Finger Printing Analysis done again, where ever required, in accordance with Clause 4.2.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.
SIGNED for & on Behalf of GEPIL (Haryana)



SIGNED for & on behalf of Client

ANNEXURE -IX

COPY OF AGREEMENT FOR DISPOSAL OF BIO-MEDICAL WASTE

Bond



Indian-Non Judicial Stamp
Haryana Government



Date :30/03/2022

Certificate No. G0302022C4358



Stamp Duty Paid : ₹ 101
(Rs. Only)

GRN No. 88834435



Penalty : ₹ 0
(Rs. Zero Only)

Deponent

Name: Biotic Waste Limited

H.No/Floor : 725

Sector/Ward : 37

Landmark : Pace city 2

City/Village : Gurugram

District : Gurugram

State : Haryana

Phone : 99*****40



Purpose : AGREEMENT to be submitted at Concerned office

SERVICE AGREEMENT

This **SERVICE AGREEMENT** (hereinafter referred to as "**Agreement**") is made and executed at Gurugram on this 25th day of April, 2022 by and between:

M/s Biotic Waste Limited (formerly Vulcan Waste Management Private Limited), a Company registered under the provisions of the Companies Act, 1956/2013, having PAN: AADCV1049G and having its treatment facility at Plot No. 725, Pace City-II, Sector-37, Gurugram, Haryana and its Registered office at 1046, Sector-37, Gurugram, Haryana, acting through its authorized representative **Mr. Anup Yadav**, Marketing Manager (hereinafter referred to as "**Biotic**" which expression shall, unless contrary to and/or repugnant to the context mean and include it's successors, representatives and permitted assigns) of the **First Part**;

AND

M/s Artemis Medicare Services Limited, a Company registered under the provisions of the Companies Act, 1956, having PAN: AAFC A0130M and having its registered office at Plot No. 14, Sector-20, Dwarka, New Delhi - 110075, acting through its authorized representative **Ms. Shilpa Budhia**, Company Secretary (hereinafter referred to as "**Artemis**" which expression shall, unless contrary to and / or repugnant to the context mean and include it's successors, representatives and permitted assigns) of the **Second Part**.

[**Biotic** and **Artemis** shall herein wherever the context may so require be collectively referred to as "**Parties**" and individually as a "**Party**"]

WHEREAS:

- a) Biotic has been authorized by the **Haryana State Pollution Control Board (HSPCB)** vide **Authorisation Letter No.: BMW18GUSO5185039** dated **27th March 2018** under Bio-Medical



Jain



Waste (Management & Handling) Rules, 1998 (BMW) Rules as amended, for operation of a common facility for the Collection, Reception, Treatment, Storage, Transportation and Disposal of Bio-Medical Waste in Haryana and the Authorisation is valid up till 30th September 2022.

- b) Artemis is engaged in the business of providing medical & patient care services through its hospital as listed in **Annexure-A** (hereinafter referred as "Premises").
- c) Artemis in compliance of the Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998, has desired to avail the services of Biotic for disposal of its Bio-Medical Waste (except liquid bio-medical waste).

NOW THIS AGREEMENT witness the following terms & conditions to be performed by both the parties to the agreement:

1. Interpretation

In this Agreement, unless the context or subject matter otherwise requires:

- a) The singular includes the plural and vice versa;
- b) Words importing one gender include the other gender and words importing persons include corporations and unincorporated bodies of persons and vice-versa;
- c) References to Clauses, Schedules and Appendices are references to clauses, schedules and appendices of this Agreement;
- d) References to agreements and deeds include all renewals, extensions and amendments thereof;
- e) The headings to this Agreement are inserted for ease of reference only and shall not affect the interpretation or construction thereof; and
- f) Any reference to a statutory provision includes that provision as from time-to-time modified or amended or re-enacted so far as such modification or re-enactment applies or is capable of applying to this Agreement.

2. Scope of Services

Artemis will arrange collection, and ensure proper segregation of Bio-medical Waste generated from its various department/wards, as per Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998, from its Premises. Biotic will arrange for transportation, treatment and disposal of Bio-Medical Waste handed over by Artemis as per terms and conditions mentioned in HSPCB Authorization, attached as **Annexure-C**.

3. Responsibilities and Duties of Artemis

- a) Artemis will ensure that all the Bio Medical Waste i.e. incinerable and autoclavable waste (including plastic waste) is handed over to Biotic. All infected material including culture plates, laboratory sample (autoclavable) shall be segregated in yellow bags at user level and given to Biotic. A policy document shall be made by Biotic which will prescribe in detail the procedural policies employed by Biotic for the final disposal (incineration, autoclaving, shredding) of waste from the various bags.
- b) Artemis will pack the segregated Bio-Medical as per rules, at the collection end point, in Colour Coded Bags, Label the said bags as per the Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998 and keep them ready for collection by Biotic's collection staff twice a day during 6 a.m. to 10 p.m. or any other time which may be mutually agreed upon.
- c) Artemis will itself arrange for all colours coded bags as per BMW Rules to be used for internal segregation & for their end point purposes.
- d) Artemis undertakes to hand over to Biotic only the segregated Bio-Medical Waste generated on daily basis. Bags should be duly labeled as per Schedule IV, signed and tagged General Waste i.e. MUNICIPAL SOLID WASTE IS NOT TO BE PUT INTO THE COLOUR CODED BAGS AT ALL. For any violation of the Bio-Medical Rules in this regard Artemis shall be exclusively responsible.



Jaini



- e) Artemis's responsibility will cease once the segregated bio-medical waste, duly packed, labeled and signed, has been handed over to Biotic. Artemis will be solely responsible for compliance of Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998 in respect of its liquid bio-medical waste.

4. Responsibilities and Duties of Biotic

- a) Biotic will require Artemis's staff/representative to sign its daily BMW Collection Sheet in acknowledgement of Bio-Medical Waste handed over. Biotic's staff will sign the Record Book to be maintained by Artemis in acknowledgement of waste collected. Maintenance of the said Record Book by Artemis is a statutory requirement and has to be complied with.
- b) Biotic will be responsible for complying the following basic guidelines of Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998 and more specifically listed in Annexure-C:
- Bio-Medical Waste shall be treated & disposed off in-accordance with Schedule & in compliance with the standards prescribed in Schedule I.
 - Setting up in accordance with the time schedule VI, requisite Bio-Medical Waste treatment facilities like incinerator, autoclave, and microwave system for the treatment of waste at a common waste treatment facility or any other waste treatment facility.
 - Notwithstanding anything under Motor Vehicle Act, 1998 or rules thereunder, untreated Bio-Medical Waste shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
 - No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours.
 - Maintaining records related to the collection, reception, storage, transportation, treatment, disposal & or any form of handling of Bio-Medical waste in accordance with those rules & any guidelines issued.
 - Suitably designed pollution control devices should be installed/retrofitted with the incinerator to achieve the required emission limits, if necessary.
 - Ensure that animals do not have access to burial sites. Cover of galvanized iron/wire meshes may be used for such purpose.
 - Comply all the directions for collection, reception, storage, transportation, treatment disposal & handling and also ensure that there is no adverse effect to Human & Environment.

5. Tenure

Subject to the termination clause mentioned hereinafter, this Agreement shall come into force with effect from 1st April, 2022 and shall remain in force till 31st March, 2023.

6. Payment Terms

- a) Artemis shall pay Service Charges to Biotic as per Annexure-B towards the services provided, subject to deduction of tax at source. Taxes as applicable shall be charged extra.
- b) Monthly Bills shall be raised by Biotic to Artemis and Artemis shall make the payment in advance for each month

7. Liability and Indemnity

It is specifically agreed and understood that compliance of the Bio-Medical Waste Management Rules, 2016/Bio-medical Waste (Management & Handling) Rules, 1998 during transportation and disposal of Bio-Medical Waste shall be the exclusive responsibility of Biotic. Biotic shall indemnify Artemis against all actions, losses (direct and consequential), damages, costs (including legal costs on attorney), interest, charges, claims and proceedings whatsoever which Artemis may



Jaini



suffer or incur directly or indirectly in any way arising from non-compliance of BMW regulations by Biotic during the transportation and disposal of Bio Medical Waste.

8. Termination

- a) Artemis may terminate this agreement by giving 60 days prior written notice to the other party without any cause.
- b) In case of any complaint regarding services provided by Biotic and the complaint is not resolved within 15 days of reporting in writing by Artemis; Artemis shall have the right to terminate this agreement by giving further 7 days written notice.
- c) In case any party commits a material breach of any provision of this Agreement and fails to remedy such breach (where capable of remedy) within 15 (fifteen) days of receipt of a notice from the innocent party specifying the breach, the other party can terminate this agreement by giving 7 days written notice;
- d) Either of the Parties may (without prejudice to any other rights) forthwith terminate this agreement by giving 30 days written notice to the other, if:
 - the other party becomes or is declared bankrupt or insolvent by a competent court of law or compounds with its creditors or shall have distress or execution levied upon its property or is wound-up or goes into liquidation (except for the purposes of a bona fide reconstruction) or shall have a receiver or administrator appointed for the whole or any part of its assets or shall suffer the appointment of any similar person under the laws of its domicile;
 - the exercise of the rights granted under this Clause shall not prejudice or affect any right of action or remedy which may have already accrued or may accrue thereafter to either party.
- e) In case the Force Majeure conditions (as specified elsewhere in the agreement) continue to affect a Party beyond a period of 30 days, the other Party shall have the right to terminate this Agreement, forthwith, by giving notice in writing of 15 days of this effect to the other Party.
- f) After termination of agreement Biotic shall inform the Haryana State Pollution Control Board in writing regarding cancellation of agreement with prior intimation to Artemis.

9. Representation & Warranties

Each party hereto represents and warrants to the other that it has full legal power and authority to carry on its business and to enter into this Agreement and perform all of its obligations hereunder. Biotic further represented that it will communicate the details of renewed license to Artemis after the expiry of the above mentioned license.

10. Force Majeure

Either party shall not be liable for any delay in or failure to perform any of their respective obligations under or arising out of this Agreement if the delay or failure results from an Act of God, war, or any Government/statutory prohibition on providing services which renders it impossible for Biotic or Artemis to fulfill their obligations under this Agreement. It is clarified that failure to meet the requirements of any law, rule or regulation (including any executive direction) resulting in adverse consequences will not be considered an event of Force Majeure. In the same manner, any strike by the personnel of the party claiming benefits of Force Majeure will also be not considered an event of Force Majeure.

11. Applicable Laws & Jurisdiction

This agreement shall be subject to and construed in accordance with the laws of India. Subject to Arbitration provisions as mentioned in this Agreement, the parties hereby submits to the exclusive jurisdiction of the Courts/Tribunals at Gurugram (Haryana) for all matters arising out of or in connection with this Agreement.

12. Dispute Resolution/Arbitration



Handwritten signature in blue ink.



In the event of any dispute between the parties concerning or relating to the interpretation or effect of any provisions thereof or relating to the liability or obligation on the part of any of the parties hereto, the same shall be settled mutually by and between the parties. However, if both the parties are unable to settle the same within 30 days, the Chief Executive Officer (CEO) or Director of Artemis shall have the power to appoint an independent arbitrator whose decision shall be valid and binding on both the parties. The powers and duties of the arbitrator shall be governed by the Arbitration and Conciliation Act, 1996. The place of arbitration shall be New Delhi and the arbitration proceedings shall be conducted in the English language.

13. Notice

All notices, requests, demands and other communications required/permitted to be given under this Agreement shall be in writing and delivered by hand against receipt, or sent by registered post or by courier/e-mail at the following address, unless the same have been changed by the concerned party by intimation to the other party.

BIOTIC	ARTEMIS
Biotic Waste Limited Plot No. 725, Pace City-II, Sector-37, Gurugram, Haryana E-mail: _____	Artemis Medicare Services Limited 'Artemis Hospital', Sector-51, Gurugram – 122001, Haryana

Any such notice or communication shall be deemed to have been duly given and served at the date and time of (i) delivery if sent by registered post or delivered by hand; or (ii) either the date sent (if sent during the receiving party's normal business hours) or next succeeding business day, if sent by telefax.

14. Miscellaneous

- a) This Agreement is not assignable by either party to any other person.
- b) This Agreement including the annexure thereof constitutes the entire agreement of the parties with respect to the subject matter hereof and supersedes all negotiations, prior discussions and prior agreements and memorandum of understanding, whether oral or written, related to such subject matter.
- c) This agreement is only on principal to principal basis and does not give rise to any principal and agent relationship or joint venture between the parties nothing stated in this arrangement will authorize or permit either party to represent or act as or plead any such relationship.
- d) If any provisions of this agreement is invalid, unenforceable or prohibited by any law, this agreement shall be considered divisible as to such provision and such provision shall be inoperative and shall not be part of the consideration moving from any party hereto to the others, and the remainder of this agreement shall be valid, binding and of like effect as though such provision was not included herein.
- e) This Agreement can be amended with mutual consent of the parties and such amendment shall be agreed only in writing.
- f) No waiver of any breach of any provision of this Agreement shall constitute a waiver of any prior, concurrent or subsequent breach of the same of any other provisions hereof, and no waiver shall be effective unless made in writing and signed by an authorized representative of the waiving Party.

IN WITNESS WHEREOF, THE PARTIES HERETO HAVE SET THEIR HANDS AND SEAL ON THE DAY AND YEAR FIRST ABOVE WRITTEN

For Artemis Medicare Services Limited

For Biotic Waste Limited





Shilpa Budhia

By: Ms. Shilpa Budhia
(Company Secretary)



Anup Yadav

By: Mr. Anup Yadav
(Marketing Manager)

Witnesses:

1.

Jain

2.

[Signature]

LIST OF LOCATIONS:

1. Artemis Hospital
Sector-51,
Gurugram – 122001 (Haryana)

Jain



ANNEXURE-B

MONTHLY SERVICE CHARGES

S. No.	Locations	Monthly Service Charge for Bio-Medical Waste Pick-Up & Disposal
01	Artemis Hospital Sector-51, Gurugram (Haryana)	Rs. 1,24,800/- (Rupees One Lakh Twenty four Thousand Eight Hundred Only) upto 5070Kg per month
		Extra Rs. 28.5/- (Rupees Twenty-Eight & Five Paise) per kg beyond 5070 Kg per month Wastage from Per Bed Per Day shall be calculated as (Rs.8/- Per Bed Per Day waste limit 325 GM)

Note:

Above service charge is exclusive of the Goods & Service Tax and other related cess & levies.

Jain



Annexure-C

Application no. :5185039
Industry id: 18GUSO146253
Date: 27/03/2018

HARYANA STATE POLLUTION CONTROL BOARD
Haryana State Pollution Control Board, 3rd Floor, HSIIDC Office Complex,
IMT Manesar, Gurugram



No. HSPCB/BMW/2018-2019

Dated 27/03/2018

Authorization No. BMW18GUSO5185039

Application No.
5185039

Date of Submission 27/03/2018



BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE

UNDER BIO MEDICAL WASTE RULES, 2016.

1. M/s :Vulcan Waste Management Private Limited an occupier or operator of the facility located at Plot no-725, Pace City-II, Sector-37, Industrial Area, is hereby granted an authorisation for; Collection,Storage,Reception,Transportation,Treatment or processing or conversion,Disposal or destruction use

2. M/s Vulcan Waste Management Private Limited is hereby authorized for handling of Biomedical Waste as per the capacity given below:

(i) Number healthcare facilities covered by CBMWTF: 930

(ii) Installed treatment and disposal capacity: 20000 Kg/Day

(iii) Area or distance covered by CBMWTF: 75-KM radius

(iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	1850
	b) Animal Anatomical Waste	0
	c) Soiled Waste	0.5
	d) Expired or Discarded Medicines	0
	e) Chemical Solid Waste	0
	f) Chemical Liquid Waste	0
	g) Discarded linen, mattresses, beddings contaminated with blood or body fluid	0
	h) Microbiology, Biotechnology and other clinical laboratory waste	0
Red	Contaminated waste (Recyclable)	2120
White (Translucent)	Waste sharps including Metals	48
Blue	Glassware	432
	Metallic Body Implants	



Signature





HARYANA STATE POLLUTION CONTROL BOARD
C-11 Sector-6, Panchkula
Ph - 0172- 577870-73, Fax No. 2581201
E-mail- hspcbho@gmail.com
Website: hspcb.gov.in

No. HSPCB/2018/

Dated:

To

The Regional Officer,
Gurugram South.

Sub: Regarding Change of name of the unit from M/s Vulcan Waste Management Pvt ltd. Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram to M/s Biotic Waste Limited, Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram

Kindly refer to this office letter no. 1578 dated 11.07.2018 on the subject cited above.

In this connection, it is intimated that the Competent Authority has considered and approved the request of the unit for change of name of the unit from M/s Vulcan Waste Management Pvt ltd. Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram to M/s Biotic Waste Limited, Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram as recommended vide your letter referred above with the condition that the new unit or person to whom the interest of the unit is transferred, shall also be liable for all liabilities which have been imposed on the previous unit before change of name or ownership of that unit/firm.

It is for your information and necessary action.

Sr. EE - I (HQ)
For Chairman

Endst. No. HSPCB/2018/ 5125

Dated: 5/9/18

A copy of the above is forwarded to the following for information and necessary action:-

1. M/s Vulcan Waste Management Pvt ltd. Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram.
- ✓ 2. M/s Biotic Waste Limited, Plot no. 725, Pace City-II, Sector-37, Industrial Area Gurugram



Sr. EE - I (HQ)
For Chairman

5/9/18

ANNEXURE -X

COPY OF HEALTH CERTIFICATE OF WORKERS



Ph. 0124-6528008, M. 9873255373

KUTUMB HOSPITAL

Serving Humanity

A MULTI SPECIALITY HOSPITAL

Main Bajghera Chowk, New Palam Vihar, Sector-110, Gurgaon-122017 (Hr.)

Ref.....

Date 19/12/20

MEDICAL FITNESS CERTIFICATE

Certified that Mr./Miss/Mrs./ Dr. Anil S/O, D/O Shayla KhanAge 33y ADD.....GENERAL EXAMINATIONWeight 72kg Height.....Pulse 104 B.P. 130/80SYSTEMATIC EXAMINATIONC.V.S. Sw E.N.T. nm CHEST R.A.S.C.C.N.S. nm SKIN nm PER/ ABDOMEN nmVISION..... COLOUR BLINDNESS..... GENITO URINARY nmRIGHT 6/6.....LEFT 6/6.....

BLOOD GROUP.....

DENTAL EXAMINATION.....

REMARKS

HE/SHE IS FOUND TO BE MEDICALLY FIT

Dr. ABHIMANYU SANGWAN
MBBS
MEDICAL No. 7210
KUTUMB HOSPITAL



Ph. 0124-6528000, M. 9873255373

KUTUMB HOSPITAL

Serving Humanity

A MULTI SPECIALITY HOSPITAL

Main Bajghera Chowk, New Palam Vihar, Sector-110, Gurgaon-122017 (Hr.)

Ref.....

Date 19/12/22

MEDICAL FITNESS CERTIFICATE

Certified that Mr./Miss/Mrs./ Samirul Shaha S/o, D/o Saffudin ShahAge 50 ADD.....GENERAL EXAMINATIONWeight 62kg

Height.....

Pulse 96/B.P. 140/90SYSTEMATIC EXAMINATIONC.V.S. NormalE.N.T. NormalCHEST. ClearC.N.S. NormalSKIN. NormalPER/ ABDOMEN Normal

VISION.....

COLOUR BLINDNESS.....

GENITO URINARY NormalRIGHT 6/6LEFT 6/6BLOOD GROUP B

DENTAL EXAMINATION.....

REMARKS

HE/SHE IS FOUND TO BE MEDICALLY FIT

Dr. ABHIMANYU SANGWAN
 MBBS, MS
 MEDICAL OFFICER
 REG. NO. 7210
 KUTUMB HOSPITAL



Ph. 0124-6520006, M. 9873255373

KUTUMB HOSPITAL

Serving Humanity

A MULTI SPECIALITY HOSPITAL

Main Bajghera Chowk, New Palam Vihar, Sector-110, Gurgaon-122017 (Hr.)

Ref.

Date: 19/12/22

MEDICAL FITNESS CERTIFICATE

Certified that Mr./Miss/Mrs./ Sachin S/o, D/o NandiniAge: 20 ADD:GENERAL EXAMINATIONWeight: 50 kg Height:Pulse: 82 B.P.: 125/70SYSTEMATIC EXAMINATIONC.V.S. Nil E.N.T. Nil CHEST BAONC.N.S. Nil SKIN Nil PERY ABDOMEN Nil

VISION:

COLOUR BLINDNESS:

GENITO URINARY: NilRIGHT: 6/6LEFT: 6/6BLOOD GROUP: —DENTAL EXAMINATION: —

REMARKS

HE/SHE IS FOUND TO BE MEDICALLY FIT

Dr. ABHINAV KUMAR SHARMA
MEDICAL OFFICER
MBBS, MS
Regd. No. 7214
KUTUMB HOSPITAL



KUTUMB HOSPITAL

Serving Humanity

A MULTI SPECIALITY HOSPITAL

Main Bajghera Chowk, New Palam Vihar, Sector-110, Gurgaon-122017 (Hr.)

Ref:

Date: 19/12/20

MEDICAL FITNESS CERTIFICATE

Certified that Mr./Miss/Mrs./ Dr. S. S. Singh S/o, D/o Shri. RamAge 33 ADDGENERAL EXAMINATIONWeight 64kg HeightPulse 82 BP 120/70SYSTEMATIC EXAMINATIONC.V.S. S.S. E.N.T. nm CHEST R AFC.N.S. nm SKIN nm PERV. ABDOMEN nm

VISION

COLOUR BLINDNESS

GENITO URINARY nmRIGHT 6/6LEFT 6/6

BLOOD GROUP

DENTAL EXAMINATION

REMARKS

HE/SHE IS FOUND TO BE MEDICALLY FIT

Dr. ABHIMANYU SANGWAN
MBBS, MS
Regd. No. 7210
KUTUMB HOSPITAL
MEDICAL OFFICER

ANNEXURE -XI

COPY OF PUC CERTIFICATE

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 14/10/2022
Time : 09:12:00 AM
Validity upto : 13/04/2023



Certificate No.	HR055033RC001083
Registration No.	HR26E W7877
Date of Registration	07/Sep/2022
Month & Year of Manufacturing	August-2022
Valid Mobile Number	****0354
Emission Norms	Bharat Stage III (CEV)
Fuel	DIESEL
PUC Code	HR0550336
GSTRN	
ML observation	No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	1.08

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm

Pollution Under Control Certificate

Authorised By :
Government of Haryana



Date : 18/10/2022

Time : 10:25:19 AM

Validity upto : 17/04/2023

VALID IN INDIA
दिल्ली सहित



Certificate SL. No. : HR05502220005069
 Registration No. : HR26DY6372
 Date of Registration : 30/Apr/2019
 Month & Year of Manufacturing : April-2019
 Valid Model Number : *****5677
 Emission Norms : Bharat Stage III (CEV)
 Fuel : DIESEL
 PUC Code : HR0550222
 GSTIN :
 MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Plant (applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)	4	5
Idling Emissions	Hydrocarbon (HC/HC)	ppm		
	CO	percentage (%)		
High idling emissions	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.5

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm



Pollution Under Control Certificate

Authorised By
Government of Haryana

Date : 14/12/2022
Time : 11:50:56 AM
Validity upto : 13/12/2023



Certificate S. No. : HR05571890102650
Registration No. : HR26DE6694
Date of Registration : 02/Jun/2017
Month & Year of Manufacturing : May-2017
Vaid Mobile Number : *****8354
Emission Norms : BHARAT STAGE IV
Fuel : DIESEL
PUC Code : HR0550189
GSTIN :
NIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Inspected V (units dec places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.27

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm

ANNEXURE -XII

COPY OF LISENSE FROM PESO FOR HSD STORAGE



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

हाल संख्या 502 एवं 507, लेवल-5, ब्लॉक II, पुराना सी.जी.ओ. कॉम्प्लेक्स, एन.एच.4
फरीदाबाद- 121001

Hall No. 502 & 507, Level 5, Block B, Old CGO Complex, NH-4,
Faridabad - 121001

E-mail : jtccefaridabad@explosives.gov.in

Phone/Fax No : 0129 - 2410734, 2410732

संख्या /No.: P/NC/HN/15/1312 (P184960)

सेवा में /To,

Artemis Medicare Services Pvt Ltd,
Apollo House 7 Institutional Area,
Sector-32,
Gurgaon,
District: GURGAON,
State: Haryana
PIN: 122001

दिनांक /Dated: 29/11/2019

विषय /Sub : Plot No, NA, HOSPITAL SITE,, SECTOR-51, District: GURGAON, State: Haryana, PIN: 999999 में स्थित विद्यमान पेट्रोलियम वर्ग B अधिष्ठापन में अनुज्ञप्ति सं P/NC/HN/15/1312 (P184960) के नवीकरण के संदर्भ में ।
Existing Petroleum Class B Installation at Plot No, NA, HOSPITAL SITE,, SECTOR-51, District: GURGAON, State: Haryana, PIN: 999999 - Licence No. P/NC/HN/15/1312 (P184960) - Renewal regarding.

महोदय /Sir
(s),

कृपया आपके पत्र क्रमांक OIN398100 दिनांक 14/11/2019 का अवलोकन करें ।
Please refer to your letter No.: OIN398100, dated 14/11/2019

अनुज्ञप्ति संख्या P/NC/HN/15/1312 (P184960) दिनांक 29/06/2009 को दिनांक 31/12/2022 तक नवीनीकृत कर इस पत्र के साथ अद्युक्त की जा रही है ।

Licence No. P/NC/HN/15/1312 (P184960) dated 29/06/2009 is forwarded herewith duly renewed upto 31/12/2022.

2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व to Jt. Chief Controller of Explosives, North Circle, Faridabad, so as to reach his कार्यालय में प्रस्तुत करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Jt. Chief Controller of Explosives, North Circle, Faridabad, so as to reach his office on or before the date on which Licence expires.

कृपया पावती दें।
Please acknowledge the receipt.

भवदीय /Yours faithfully,

((आर.एन.मीना)
(R.N.Meena)

संयुक्त मुख्य विस्फोटक नियंत्रक
Jt. Chief Controller of Explosives
फरीदाबाद, फरीदाबाद

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

22745

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/NC/HN/15/1312(P184960)

फीस रूप (Fee Rs.) 5000/- per year

Artemis Medicare Services Pvt Ltd, Apollo House 7 Institutional Area, Sector-32, Gurgaon, District: GURGAON, State: Haryana, PIN: 122001 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 30.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/NC/HN/15/1312(P184960) तारीख 06/03/2013 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to Artemis Medicare Services Pvt Ltd, Apollo House 7 Institutional Area, Sector-32, Gurgaon, District: GURGAON, State: Haryana, PIN: 122001 valid only for the importation and storage of 30.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/NC/HN/15/1312(P184960) dated 06/03/2013 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2022 तक प्रवृत्त रहेगी।
The Licence shall remain in force till the 31st day of December 2022

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	30.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	30.00 KL

March 23, 2007

For Jt. Chief Controller of Explosives
NC, Faridabad

1). Amendment dated - 29/06/2009

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: NA, HOSPITAL SITE,, SECTOR-51, District: GURGAON, State: Haryana, PIN: 999999 स्थान पर अवस्थित है तथा उसमें निम्नलिखित AS PER THE APPROVED PLAN सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: NA, HOSPITAL SITE,, SECTOR-51, District: GURGAON, State: Haryana, PIN: 999999 and consists of AS PER THE APPROVED PLAN together with connected facilities.

अनुज्ञप्ति संख्या-(Licence No.) P/NC/HN/15/1312 (P184960)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फिस में बिना किसी फूट के दस वर्ष तक नवीकृत की जा सकेगी।
This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

नवीकरण की तारीख
Date of
Renewal

समाप्ति की तारीख
Date of
Expiry of license

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature and office stamp of the licencing
authority.

1).	14/01/2008	31/12/2010	Sd/-
2).	31/12/2010	31/12/2013	Sd/- A.K.Srivastava
3).	23/01/2014	31/12/2016	Sd/- For Jt. Chief Controller of Explosives Faridabad
4).	10/11/2016	31/12/2019	Sd/- R.P.Singh Jt. Chief Controller of Explosives Faridabad
5).	29/11/2019	31/12/2022	R.N.Meena Jt. Chief Controller of Explosives Faridabad

संयुक्त विस्फोटक नियंत्रक
Jt. Chief Controller of Explosives
उत्तरी अंचल, फरीदाबाद
North Circle, Faridabad

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

ANNEXURE -XIII

COPY OF FIRE NOC

From Assistant Divisional Fire Officer/Fire Station Officer
MC Gurgaon

To **M/s** Artemis Medicare Services Ltd
Sector 51, Gurugram

Memo No. FS/2022/686 dated : 23/03/2022

Subject: Renewal of No Objection Certificate 15 mtrs. and Above height from the fire Safety Point of View of the Group C-Institutional Building at named Artemis Hospital, Sector 51, Gurugram of M/s Artemis Medicare Services Ltd. :

Reference to you online No 050262223000743 dated 02/03/2022 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
01	LG+G to 06	28.00 Mt.	5160.0387 Sq. Mt.
Basement Level	Basement Area	Remarks	
Nil	Nil	Nil	

Your site for the Renewal of the Fire NOC has been inspected by the Team of Fire Station Officers, **MC Gurgaon** from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of NOC in future before 2 month of expiry of your NOC.
- 5) The open set back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ byelaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per fire ordinance 2009 specially chapter- III Section 31 Sub-Section 1 & 2 of Fire Act 2009.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A. should be mentioned in the drill.
- 8) If the Infringements of Byelaws remains un- noticed the Authority reserves the right to amend the NOC as and when any such Infringements comes to notice after giving an opportunity of being heard and the Authority shall stand Indemnified against any claim on this account.

The above Renewal of NOC is valid for **One** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- HR 232



Deputy Director Technical Fire
MC Gurgaon

Exercising the power of Director, Fire Services, Haryana

ANNEXURE -XIV

COPY OF CLINICAL ESTABLISHMENT CERTIFICATE



GOVERNMENT OF HARYANA

**District Registering Authority
GURGAON**


CERTIFICATE OF PROVISIONAL REGISTRATION

This is to certify that *ARTEMIS HOSPITAL (A UNIT OF ARTEMIS MEDICARE SERVICES LIMITED)* located at *SECTOR-51, GURUGRAM* owned by *ARTEMIS MEDICARE SERVICES LIMITED* has been granted provisional registration as a clinical establishment under Section 15 of The Clinical Establishments (Registration and Regulation) Act, 2010. The Clinical Establishment is registered for providing medical services as a *Hospital, Single Practitioner, Polyclinic, Physiotherapy, Infertility Clinic, Dental Clinic, Dispensary, Dialysis, Day Care Centre, Mobile Clinic, MULTI SPECIALITY AND MULTI SUPER SPECIALITY, Pathology, Haematology, Biochemistry, Microbiology, Genetics, Collection Centre, Xray Centre, ECG Centre, MRI Centre, UltraSound Centre, CTScan Centre* under *Allopathy* System of Medicine.

This Certificate is valid for a period of one year from the date of issue.

Place: Gurgaon

Date of Issue: 27/10/2022


DRA: Gurgaon
District Registering Authority
Clinic's Establishment Act (CEA)
Gurugram

Terms and Conditions of Registration*

1. The holder of this Certificate of Registration shall comply with all the provisions of Clinical Establishment Act (Registration and Regulation) 2010 and the Rules made there under.
2. The Certificate of Registration is not transferable. The Certificate of Registration shall be displayed in a prominent place in a part of the premises open to the public.
3. Any change of ownership or change of category or change of management or on ceasing to function as a clinical establishment, the certificate of registration shall be surrendered to the authority and application for fresh registration submitted.

*Additional terms and conditions are as stipulated by the appropriate registering authority.